

FS
FALL SAFE®



ANSI OSHA CSA CE

INTERNATIONAL CATALOGUE

2024/2025

TABLE OF CONTENTS

03

FS® INTERNATIONAL

04

FULL BODY HARNESSSES

07

LANYARDS

08

ANCHORAGES

09

ROPE CLAMPS & ROPE GRABS

10

DESCENDERS

11

RESCUE & EVACUATION

13

SRL - SELF RETRACTING LIFELINES

15

ROPES

16

ACCESSORIES

18

CARRYING BAGS

FALL SAFE® INTERNATIONAL

QUALITY. EFFICIENCY. COMFORT. SOCIAL AWARENESS

FALL SAFE® is a synonym for highest-quality. Our customers expect it, and we go out of our way to deliver it. This includes not only how we develop our products, but also how we test them. Our exhaustive battery of tests ensure our products exceed:

- EN — European standards;
- ANSI/OSHA — American standards;
- CSA — Canadian standards;

FALL SAFE® products follow a rigorous process before being made available to the customer.

Underwriter's Laboratories (UL) is a global leader in testing, inspection, certification, auditing and validation of a wide range of products in the United States and 63 other countries around the world and has been around for over 125 years. It is a safety organization that sets industry-wide standards on new products and continues to check the products to ensure they're up to these standards.

FALL SAFE® trusts UL for testing and certifying its International Range.



*UL and the UL logo are
trademarks of UL LLC © 2021*

FULL BODY HARNESSES

FLEX SERIES

ANSI/ ASSP Z359.11-2021

OSHA1926.502, 1910.140

CSA Z259.10-18

CE EN361

FS242IBD

FLEX BASIC

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM ALLOY D-RING AT FRONT AND BACK
- CONTRASTING SEAMS FOR EASIER INSPECTION
- 1 ALUMINIUM IZY BUCKLE
- 2 ALUMINIUM SPRING BUCKLES
- 2 STEEL 3 BAR BUCKLES
- 4 ADJUSTMENT POINTS
- 4 TOOLS HOLDERS POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR FRONT AND BACK



UL
CERTIFIED



INSPECTOR®
READY



TWICEME®



FS242ICD

FLEX COMFORT

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM ALLOY D-RING AT FRONT AND BACK
- CROC 3.0 COMFORT PADDING - LITE - AIR - REFLECTIVE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- 3 ALUMINIUM IZY BUCKLE
- 2 ALUMINIUM SPRING BUCKLES
- 4 ADJUSTMENT POINTS
- DORSAL SRL LINK
- 4 ADJUSTMENT POINTS
- 4 TOOLS HOLDERS POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR FRONT AND BACK



UL
CERTIFIED



INSPECTOR®
READY



CROC 3.0
- LITE - AIR -
REFLECTIVE



TWICEME®



FLASH SERIES

ANSI/ ASSP Z359.11-2021
OSHA1926.502, 1910.140
CSA Z259.10-18,
CE EN361 EN358

FS240ICD

FLASH COMFORT

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM ALLOY D-RING AT FRONT/ BACK/ SIDES
- CROC 3.0 COMFORT PADDING - LITE - AIR - REFLECTIVE
- CONTRASTING SEAMS FOR EASIER INSPECTION
- SEAT CONNECTION POINTS - SERRIO SEAT FLASH
- 4 ALUMINIUM IZY BUCKLE
- 2 ALUMINIUM SPRING BUCKLES
- 10 ADJUSTMENT POINTS
- DORSAL SRL LINK
- 9 TOOLS HOLDERS POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR FRONT AND BACK



ARC FLASH SERIES

ANSI/ ASSP Z359.11-2021
OSHA1926.502, 1910.140
CSA Z259.10-18,
ASTM F887
CE EN361 EN358

FS240-2ICD

ARC FLASH COMFORT

FEATURES:

- NOMEX OVER KEVLAR WEBBING 45MM
- DIELECTRIC D-RING AT FRONT/ BACK/ SIDES
- CROC 3.0 COMFORT PADDING ARC FLASH VERSION
- CONTRASTING KEVLAR SEAMS FOR EASIER INSPECTION
- SEAT CONNECTION POINTS - SERRIO SEAT ARC FLASH
- 4 DIELECTRIC IZY BUCKLE
- 10 ADJUSTMENT POINTS
- DORSAL SRL LINK
- 6 TOOLS HOLDERS POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR FRONT AND BACK



FLYER SERIES

ANSI/ ASSP Z359.11-2021
OSHA1926.502, 1910.140
CSA Z259.10-18
CE EN361 EN358 EN813

FS243.2IC

FLYER COMFORT

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK/ VENTRAL/ SIDE
- CROC 3.0 COMFORT PADDING - LITE - AIR - REFLECTIVE
- SEAT CONNECTION POINT - SERRIO SEAT
- 6 STEEL 3 BAR BUCKLES
- 9 TOOL HOLDER POINTS
- 9 ADJUSTMENT POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR DORSAL



FS243.2IP

FLYER PRO

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK/ VENTRAL/ SIDES
- CROC 3.0 COMFORT PADDING - LITE - AIR - REFLECTIVE
- SEAT CONNECTION POINT - SERRIO SEAT
- 3 ALUMINIUM IZY BUCKLE
- 6 STEEL 3 BAR BUCKLES
- 9 TOOL HOLDER POINTS
- 9 ADJUSTMENT POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR DORSAL



FS243.2IPB

STEALTH FLYER PRO BLACK

FEATURES:

- PES WEBBING 45MM WATER REPELLENT
- ALUMINIUM D-RING AT FRONT/ BACK/ VENTRAL/ SIDES
- CROC 3.0 COMFORT PADDING - LITE - AIR - BLACK
- SEAT CONNECTION POINT - SERRIO SEAT
- 3 ALUMINIUM IZY BUCKLE
- 6 STEEL 3 BAR BUCKLES
- 9 TOOL HOLDER POINTS
- 9 ADJUSTMENT POINTS
- LANYARD PARKING ATTACHMENT ELEMENTS
- FALL INDICATOR DORSAL





FS053KI-OG-6FT

GRIPPA - WORK POSITIONING LANYARD

ANSI/ASSE Z359.3-2019,A10.32

OSHA1926.502

CSA Z259.11-17

CE EN358

FEATURES:

STATIC ROPE 0.43IN (11MM) - CORE PA
+ COVER PES

WITH TUBULAR WEBBING PROTECTION
- POLYESTER

ADJUSTABLE ALUMINIUM DEVICE
GRIPPA



UL
CERTIFIED



INSPECTOR®
READY



FS512I-GY-6FT

STRETX - DOUBLE LANYARD W/ SHOCK ABSORBER

ANSI/ASSE Z359.13-2023,A10.32

OSHA1926.502 Z359.12-2019

CSA Z259.11-17

CE EN355 EN354

FEATURES:

RETRACTABLE TUBULAR WEBBING
POLYESTER 1IN (27MM)

WITH PES SHOCK ABSORBER - EVA
CASING



UL
CERTIFIED



INSPECTOR®
READY



ANCHORAGES

FS8011-3FT

STATIO ANCHOR STROP

ANSI/ ASSP Z359.18-2017 TYPE T

OSHA1926.502, 1910.140

CE EN795-B

FEATURES:

1.8IN (45MM) POLYESTER WEBBING SLING

D-RING CONNECTOR

DESIGNED FOR HEAVY DUTY USE



INSPECTOR®
READY



FS-LDV-0291

ROTA ANCHOR POINT

ANSI/ ASSP Z359.18-2017

OSHA1926.502, 1910.140

CSA Z259.15,

CE EN795-A:2012

FEATURES:

FREE ROTATION

FOR INDOOR/ OUTDOOR

FOR ONE USER ONLY

MAX. RATED LOAD 265LB (120KG)

FALL INDICATOR



INSPECTOR®
READY



ROPE GRABBS & ROPE CLAMPS

FS8050I

CLAW - VENTRAL ROPE CLAMP KIT

NFPA 1983 TECHNICAL USE
CE EN567

FEATURES:

- EASY TO INSTALL
- USE ONLY WITH EN1891-A ROPES
- MAX. RATED LOAD 220LB (100KG)
- COMPATIBLE WITH FLYER SERIES HARNESSSES



INSPECTOR®
READY



FS33330I FS33331I

ONYX PRO - LEFT/RIGHT HAND ROPE CLAMP

NFPA 1983 TECHNICAL USE
CE EN567

FEATURES:

- LIGHT AND COMPACT
- USE ONLY WITH NFPA, EN1891-A ROPES
- MAX. RATED LOAD 220LB (100KG)



INSPECTOR®
READY



FS33320I

GABBRO - ROPE GRAB

ANSI/ASSE Z359.15-2014
OSHA1926.502, 1910.66
CE EN353-2

FEATURES:

- LIGHT AND COMPACT
- USE ONLY WITH NFPA, EN1891-A ROPES
- MAX. RATED LOAD 265LB (120KG)



INSPECTOR®
READY



FS333811

LORY SAFE DESCENDER

ANSI/ASSE Z359.4-2013

NFPA 1983 Technical Use

CE EN341-2A, EN353-2, EN795B, EN12841-C, EN15151-1-8

FEATURES:

SELF BREAKING DESCENDER

USE ONLY WITH NFPA, EN1891-A ROPES

MAX. RATED LOAD 500LB (225KG)



DESCENDERS



RESCUE & ASCENDERS

FS34110I

RESCUE STRETCHERS KIT

REGULATIONS (EU) 2017/745 - CLASS 1 MD & REGULATION (EU) 2016/425 EN361 EN1497

FEATURES:

FALL SAFE® STRETCHER KIT COMPOSED BY:

- FS34108 FLADDERMUS STRETCHER
- FS34109 BO IMMOBILIZER STRETCHER
- FS038A-TC-2M LANYARD W/ MANUAL ADJUSTMENT
- FS8215 FLADDERMUS CARRYING BAG
- FS806 RESCUE Y-PAD



FS905I-50FT

SAVEMAN™ ADVANCE RESCUE

ANSI/ASSE Z359.4-2013 CE EN341 TYPE 2 CLASS D

FEATURES:

- LENGTH 50FT (15M)
- SELF RESCUE
- INBUILT ENERGY ABSORBER
- MANUAL ALU DESCENT WITH ANTI-PANIC FUNCTION
- TECHNORA® 5MM - HEAT AND CHEMICAL RESISTANCE
- CONTROLLABLE SPEED UP TO 2M/S

INCLUDES:

- 2 PCS ALU KARABINER
- 1 PC ANCHOR SLING
- 1 PC RESCUE KNIFE
- 1 PC STORAGE BAG



INSPECTOR®
READY

FS907I-65FT

EVAK - RESCUE EQUIPMENT

ANSI/ASSE Z359.4-2013

CE EN341:2011/1A EN1496:2017/A

FEATURES:

LENGTH 65FT (20M)

REMOTE RESCUE OF VICTIM

MANUAL LIFT ASCEND/ DESCEND

AUTOMATIC DESCEND SPEED 3.3 FT/S (1 M/S)

BIDIRECTION FUNCTIONALITY FOR CONSECUTIVE DESCENT

LIGHTWEIGHT ALU DESCENT DEVICE W/ SWIVEL CARABINER

INCLUDES:

- 1 PC ANCHOR SLING
- 1 PC ALU KARABINER
- 1 PC WHEEL DESCENDER
- 1 PC RESCUE POLE (0.8 - 3.6M)
- 1 VACCUUM BAG



INSPECTOR®
READY



FS973I-65FT

AUTO - EVACUATION SYSTEM AUTOMATIC

ANSI/ ASSE Z359.4-2013

CE EN341:2011/1A EN1498:2006 EN1497:2007

FEATURES:

LENGTH 65FT (20M)

BIDIRECTION FUNCTIONALITY FOR CONSECUTIVE DESCENT

AUTOMATIC DESCEND SPEED 3.3 FT/S (1 M/S)

LIGHTWEIGHT ALU DESCENT DEVICE W/ SWIVEL CARABINER

COLD, HEAT AND CORROSION RESISTANCE

COMPACT, STABLE AND LOW WEIGHT

INCLUDES:

- 1 PC ANCHOR SLING
- 2 PCS FS34107 RESCUE TRIANGEL
- 1 PC ALUMINIUM KARABINER
- 1 PC WINCH SYSTEM
- 1 PC STORAGE BAG



INSPECTOR®
READY



SELF RETRACTING LIFELINE

FALL SAFE

SAFE-ONLY LINE FROM
LE FALL ARRESTER

360:200



CE 0598

FS930I-TY

SELF RETRACTING LIFELINE 6FT

ANSI/ASSE Z359.14-2021, ANSI A10.32

OSHA 1926.502

CSA Z259.2.-17

CE EN360

FEATURES:

LENGTH 6FT (1.8M)

FALL INDICATOR

SWIVEL ANCHOR

ONE USER ONLY!



INSPECTOR®
READY

CLASS
1
Anchor at or above
dorsal D-ring



FS931I-TY

SELF RETRACTING LIFELINE 9FT

ANSI/ASSE Z359.14-2021, ANSI A10.32

OSHA 1926.502

CSA Z259.2.-17

CE EN360

FEATURES:

LENGTH 9FT (2.7M)

FALL INDICATOR

SWIVEL ANCHOR

ONE USER ONLY!



INSPECTOR®
READY

CLASS
1
Anchor at or above
dorsal D-ring



FS934I

SELF RETRACTING LIFELINE 33FT

ANSI/ ASSE Z359.14-2021 ANSI A10.32

OSHA 1926.502

CSA Z259.2.-17

CE EN360

FEATURES:

LENGTH 33FT (10M)

FALL INDICATOR

SWIVEL ANCHOR

ONE USER ONLY!



INSPECTOR®
READY



FS936I

SELF RETRACTING LIFELINE 50FT

ANSI/ ASSE Z359.14-2021 ANSI A10.32

OSHA 1926.502

CSA Z259.2.-17

CE EN360

FEATURES:

LENGTH 50FT (15M)

FALL INDICATOR

SWIVEL ANCHOR

ONE USER ONLY!



INSPECTOR®
READY





FSR01I

MAMBA NEGRA STATIC ROPE 11MM/ 0.43INCH

CE EN1891-A

NFPA



INSPECTOR®
READY



FSR02I

ICY WHITE STATIC ROPE 11MM/ 0.43INCH

CE EN1891-A

NFPA



INSPECTOR®
READY



ACCESSORIES

FS800-SP2I

SAFESTEP DUO



FS919I

TWIN BRACKET

ANSI Z359.12



FS8015I

TOOLS LANYARD

ANSI-ISEA-121-2018



FS8017I

HEAVY DUTY

ANSI-ISEA-121-2018



FS2095I

CROC SLIDER BELT



FS2052I

SERRIO SEAT

FEATURES:

COMPATIBLE WITH FLYER SERIES HARNESSSES



INSPECTOR®
READY



FS2053I

SERRIO SEAT ARC FLASH

ANSI/ ASSP Z359.11-2021

OSHA 1926.502, 1910.140

CSA Z259.10-2018

FEATURES:

COMPATIBLE WITH ARC FLASH HARNESS



INSPECTOR®
READY



FS2054I

SERRIO SEAT FLASH

ANSI/ ASSP Z359.11-2021

OSHA 1926.502, 1910.140

CSA Z259.10-2018

FEATURES:

COMPATIBLE WITH FLASH HARNESS



INSPECTOR®
READY



FS321I

HI VIZ VEST INTERNATIONAL

EN ISO 20471:2013 + A1:2016 Class 2

ANSI/SEA 107-2020 Class 2

FEATURES:

COMPATIBLE WITH FLEX SERIES



CARRYING BAGS

FS81001

XL CARRYING BAG 60L



FS82231

LITE TOOL HOLDER



FS82211

LITE EVO BAG





FALL SAFE ON LINE, LDA.

Zona Industrial da Varziela, rua B - Lote 54
4480-620 Vila do Conde - Portugal
support@fallsafe-online.com
+351 252 480 060