



**FALL SAFE®
S-LINE**



**FALL SAFE®
S-LINE VERTIX**



CATALOGUE 2024/2025

INDEX

2 INDEX

3 ABOUT LIFE LINE

4 OTHER INFORMATION

5 KITS AND COMPONENTS

6-8 HORIZONTAL KITS

9 -11 VERTICAL KITS



ABOUT LIFELINE SYSTEMS



FALL SAFE® LIFELINE COMPONENTS


FALL SAFE® offers a complete lifeline range where you can find premade kits as well as single components to install your lifeline system.

LIFELINE INSTALLATION AND USE

Only authorised and trained installers can install FALL SAFE® lifeline systems and components. Bear in mind this is a work at height system to protect the user from falling. To use FALL SAFE® lifeline systems the user must have work at height training.

When installing and using FALL SAFE® lifeline components, remember concepts as Fall Factor and Fall Clearance.

If you need more information, contact us by email order@fallsafe-online.com



LIFELINE INSTALLATION AND USE

FALL SAFE® lifeline systems can only be installed by qualified installers authorised by FALL SAFE® who have undergone appropriate training.

To find more about FALL SAFE® Lifeline installation training contact us by order@fallsafe-online.com

OTHER INFORMATION

APPLICABLE EUROPEAN REGULATION AND STANDARDS

EN 795:2012

This European standard relates to the requirements and testing for anchor devices. The standard specified five classes of anchors, A, B, C, D and E:

- Type A Anchor device, with the need of a fixing element(s) to fix to the structure (e.g. bolted anchor eye).
- Type B Anchor device, without the need for fixing element(s) to fix to the structure (e.g. tripod, sling around a beam...).
- Type C Anchor device employing a flexible anchor line which deviates from the horizontal by not more than 15°.
- Type D Anchor device employing a rigid anchor line which deviates from the horizontal by not more than 15°.
- Type E Anchor device for use on a surface up to 5° from horizontal where the performance relies solely on mass and friction between itself and the surface.

CEN/TS 16 415:2013

CEN/TS 16 415:2013 is a technical specification. It certifies anchor devices when those allow more than one user to be attached at the same time.

FALL SAFE® S-LINE AND S-LINE VERTIX



S-LINE HORIZONTAL LIFELINE

FALL SAFE® S-LINE Horizontal Lifeline System is a permanent and flexible anchoring system developed, tested and certified according to EN795:2012-C and CEN/TS16415:2013-C.

FEATURES

- No. of users simultaneously from 1 to 4;
- Distance between anchors in single-span from 4m to 15m;
- Distances between anchorages in multi-span from 2m to 15m;
- Tested on 90 ° curves;
- Shock absorber installed at both points;
- Possibility of installation on different types of supports: concrete, metal beams, metal posts, corrugated roofing, sandwich panel, stapled sheet, deck;
- Installation on the ground with a maximum inclination of up to 15°;
- Possibility of using S-Line Glider 8 or FALL SAFE steel karabiner in single-span.



S-LINE VERTIX VERTICAL LIFELINE

FALL SAFE® S-LINE VERTIX is a Personal Protective Device (PPE) against fall from heights and allows the vertical movement of a user. It is compliant with the Regulation (EU) 2016/425 and EN 353-1:2014+A1:2017 – Guided Type Fall arresters including a rigid anchor line.

FEATURES

- Only one user allowed for a maximum of 120kg and a minimum of 50kg
- Distance between steel rope guard at a maximum distance of 8 m one from the other and/or from the anchor points;
- The cable must be tensioned with a value of 1 kN (maximum);
- FALL SAFE® S-LINE VERTIX lifeline can have an inclination of maximum 9,5°;
- Use only with S-LINE VERTIX Grab Kit FS680

KITS AND COMPONENTS


KITS

REFERENCE	NAME	MODEL	LENGTH (M)	EAN CODE
FS-SLINE-15M	S-LINE - HORIZONTAL LIFELINE 15 METERS	S-LINE HORIZONTAL	15	5605423806083
FS-SLINE-30M	S-LINE - HORIZONTAL LIFELINE 30 METERS	S-LINE HORIZONTAL	30	5605423806106
FS-SLINE-45M	S-LINE - HORIZONTAL LIFELINE 45 METERS	S-LINE HORIZONTAL	45	5605423806113
FS-VERTIX-10M	S-LINE VERTIX - VERTICAL LIFE LINE 10 METERS	S-LINE VERTIX VERTICAL	10	5605423805871
FS-VERTIX-15M	S-LINE VERTIX - VERTICAL LIFE LINE 15 METERS	S-LINE VERTIX VERTICAL	15	5605423805901
FS-VERTIX-20M	S-LINE VERTIX - VERTICAL LIFE LINE 20 METERS	S-LINE VERTIX VERTICAL	20	5605423805888
FS-VERTIX-25M	S-LINE VERTIX - VERTICAL LIFE LINE 25 METERS	S-LINE VERTIX VERTICAL	25	5605423805895
FS-VERTIX-30M	S-LINE VERTIX - VERTICAL LIFE LINE 30 METERS	S-LINE VERTIX VERTICAL	30	5605423805918
FS-VERTIX-35M	S-LINE VERTIX - VERTICAL LIFE LINE 35 METERS	S-LINE VERTIX VERTICAL	35	5605423805925
FS-VERTIX-40M	S-LINE VERTIX - VERTICAL LIFE LINE 40 METERS	S-LINE VERTIX VERTICAL	40	5605423806120
FS-VERTIX-45M	S-LINE VERTIX - VERTICAL LIFE LINE 45 METERS	S-LINE VERTIX VERTICAL	45	5605423805932
FS-VERTIX-50M	S-LINE VERTIX - VERTICAL LIFE LINE 50 METERS	S-LINE VERTIX VERTICAL	50	5605423805949
FS-VERTIX-55M	S-LINE VERTIX - VERTICAL LIFE LINE 55 METERS	S-LINE VERTIX VERTICAL	55	5605423806137
FS-VERTIX-60M	S-LINE VERTIX - VERTICAL LIFE LINE 60 METERS	S-LINE VERTIX VERTICAL	60	5605423806144
FS-VERTIX-65M	S-LINE VERTIX - VERTICAL LIFE LINE 65 METERS	S-LINE VERTIX VERTICAL	65	5605423806151
FS-VERTIX-70M	S-LINE VERTIX - VERTICAL LIFE LINE 70 METERS	S-LINE VERTIX VERTICAL	70	5605423806168
FS-VERTIX-75M	S-LINE VERTIX - VERTICAL LIFE LINE 75 METERS	S-LINE VERTIX VERTICAL	75	5605423806175
FS-VERTIX-80M	S-LINE VERTIX - VERTICAL LIFE LINE 80 METERS	S-LINE VERTIX VERTICAL	80	5605423806182
FS-VERTIX-85M	S-LINE VERTIX - VERTICAL LIFE LINE 85 METERS	S-LINE VERTIX VERTICAL	85	5605423806199
FS-VERTIX-90M	S-LINE VERTIX - VERTICAL LIFE LINE 90 METERS	S-LINE VERTIX VERTICAL	90	5605423806205
FS-VERTIX-95M	S-LINE VERTIX - VERTICAL LIFE LINE 95 METERS	S-LINE VERTIX VERTICAL	95	5605423806212
FS-VERTIX-100M	S-LINE VERTIX - VERTICAL LIFE LINE 100 METERS	S-LINE VERTIX VERTICAL	100	5605423806229

SPARE PARTS

REFERENCE	NAME	MODEL	LENGTH (M)	EAN CODE
FS-LDV-006	CABLE Ø 8 MM CONSTRUCTION 7X7	S-LINE HORIZONTAL	-	5605423804966
FS-LDV-010	CRIMPING RING FOR JUNCTION LENGTH 200 MM	S-LINE HORIZONTAL	-	5605423804997
FS-LDV-2001	FIXED ANCHORAGE POINT	S-LINE HORIZONTAL	-	5605423804928
FS-LDV-2002	INTERMEDIATE BRACKET 60/65	S-LINE HORIZONTAL	-	5605423804980
FS-LDV-2005	SHOCK ABSORBER	S-LINE HORIZONTAL	-	5605423804935
FS-LDV-2006	CRIMPING TERMINAL	S-LINE HORIZONTAL	-	5605423804942
FS-LDV-2007	CURVE 90°	S-LINE HORIZONTAL	-	5605423805000
FS-LDV-2008	PRETENSION CRIMPING TERMINAL	S-LINE HORIZONTAL	-	5605423804959
FS-LDV-2011	GLIDER 8	S-LINE HORIZONTAL	-	5605423804973
FS-LDV-3001	TOP BOTTOM BRACKET FOR VERTICAL LIFELINE	S-LINE VERTIX VERTICAL	-	5605423806069
FS-LDV-3003	JAW AND JAW TURNBUCKLES SS4	S-LINE VERTIX VERTICAL	-	5605423806052
FS-LDV-3004	CABLE GUIDE	S-LINE VERTIX VERTICAL	-	5605423806090
FS-LDV-3005-10M	LDV CABLE Ø 8 MM 10 METERS	S-LINE VERTIX VERTICAL	10	5605423806236
FS-LDV-3005-15M	LDV CABLE Ø 8 MM 15 METERS	S-LINE VERTIX VERTICAL	15	5605423806243
FS-LDV-3005-20M	LDV CABLE Ø 8 MM 20 METERS	S-LINE VERTIX VERTICAL	20	5605423806250
FS-LDV-3005-25M	LDV CABLE Ø 8 MM 25 METERS	S-LINE VERTIX VERTICAL	25	5605423806267
FS-LDV-3005-30M	LDV CABLE Ø 8 MM 30 METERS	S-LINE VERTIX VERTICAL	30	5605423806274
FS-LDV-3005-35M	LDV CABLE Ø 8 MM 35 METERS	S-LINE VERTIX VERTICAL	35	5605423806281
FS-LDV-3005-40M	LDV CABLE Ø 8 MM 40 METERS	S-LINE VERTIX VERTICAL	40	5605423806298
FS-LDV-3005-45M	LDV CABLE Ø 8 MM 45 METERS	S-LINE VERTIX VERTICAL	45	5605423806304
FS-LDV-3005-50M	LDV CABLE Ø 8 MM 50 METERS	S-LINE VERTIX VERTICAL	50	5605423806311
FS-LDV-3005-55M	LDV CABLE Ø 8 MM 55 METERS	S-LINE VERTIX VERTICAL	55	5605423806328
FS-LDV-3005-60M	LDV CABLE Ø 8 MM 60 METERS	S-LINE VERTIX VERTICAL	60	5605423806335
FS-LDV-3005-65M	LDV CABLE Ø 8 MM 65 METERS	S-LINE VERTIX VERTICAL	65	5605423806342
FS-LDV-3005-70M	LDV CABLE Ø 8 MM 70 METERS	S-LINE VERTIX VERTICAL	70	5605423806359
FS-LDV-3005-75M	LDV CABLE Ø 8 MM 75 METERS	S-LINE VERTIX VERTICAL	75	5605423806366
FS-LDV-3005-80M	LDV CABLE Ø 8 MM 80 METERS	S-LINE VERTIX VERTICAL	80	5605423806373
FS-LDV-3005-85M	LDV CABLE Ø 8 MM 85 METERS	S-LINE VERTIX VERTICAL	85	5605423806380
FS-LDV-3005-90M	LDV CABLE Ø 8 MM 90 METERS	S-LINE VERTIX VERTICAL	90	5605423806397
FS-LDV-3005-95M	LDV CABLE Ø 8 MM 95 METERS	S-LINE VERTIX VERTICAL	95	5605423806403
FS-LDV-3005-100	LDV CABLE Ø 8 MM 100 METERS	S-LINE VERTIX VERTICAL	100	5605423806410
FS680	S-LINE VERTIX GRAB KIT	S-LINE VERTIX VERTICAL	-	5605423805864
10-1663	WIRE CLAMP STAINLESS STEEL FOR 8MM CABLE	S-LINE VERTIX VERTICAL	-	5605423806076
FS895	STANDARD MAILLON - STAINLESS STEEL	S-LINE VERTIX VERTICAL	-	5605423806571
FS-LDV-007	WARNING PLATE FOR HORIZONTAL SYSTEM	-	-	On request
FS007	I CHECK CABLE TIE	-	-	5605423800265

HORIZONTAL KITS



EN795:2012
CEN/TS 16415:2013

FS-SLINE-15M HORIZONTAL KIT 15M

DESIGN
PROTECTION



FALL SAFE® S-LINE 15M is a engineering horizontal lifeline kit with 15 meters. This kit is permanent installed by a competent and authorised person. It protects workers when operating in horizontal plane who may not have continuous access to suitable anchorage points.



REFERENCE	NAME	 EAN	QT
FS-LDV-2001	FIXED ANCHORAGE POINT	5605423804928	2
FS-LDV-2005	SHOCK ABSORBER	5605423804935	2
FS-LDV-2006	CRIMPING TERMINAL	5605423804942	1
FS-LDV-2008	PRETENSION CRIMPING TERMINAL	5605423804959	1
FS-LDV-006	CABLE Ø 8 MM CONSTRUCTION 7X7	5605423804966	15
FS-LDV-2011	GLIDER 8	5605423804973	1
FS33501	OVAL CARABINER ST SCREW LOCK	5605423810844	1
FS-LDV-007	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423802894	1
FS007	I CHECK CABLE TIE	5605423800265	1

EN795:2012
CEN/TS 16415:2013

FS-SLINE-30M HORIZONTAL KIT 30M

DESIGN
PROTECTION



FALL SAFE® S-LINE 30M is a engineering horizontal lifeline kit with 30 meters. This kit is permanent installed by a competent and authorised person. It protects workers when operating in horizontal plane who may not have continuous access to suitable anchorage points.



REFERENCE	NAME	 EAN	QT
FS-LDV-2001	FIXED ANCHORAGE POINT	5605423804928	2
FS-LDV-2005	SHOCK ABSORBER	5605423804935	2
FS-LDV-2006	CRIMPING TERMINAL	5605423804942	1
FS-LDV-2008	PRETENSION CRIMPING TERMINAL	5605423804959	1
FS-LDV-006	CABLE Ø 8 MM CONSTRUCTION 7X7	5605423804966	30
FS-LDV-2011	GLIDER 8	5605423804973	1
FS-LDV-2002	INTERMEDIATE BRACKET 60/65	5605423804980	1
FS33501	OVAL CARABINER ST SCREW LOCK	5605423810844	1
FS-LDV-007	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423802894	1
FS007	I CHECK CABLE TIE	5605423800265	1

EN795:2012
CEN/TS 16415:2013

FS-SLINE-45M


HORIZONTAL KIT 45M

FALL SAFE® S-LINE 45M is a engineering horizontal lifeline kit with 45 meters. This kit is permanent installed by a competent and authorised person. It protects workers when operating in horizontal plane who may not have continuous access to suitable anchorage points.

DESIGN
PROTECTION




REFERENCE	NAME	 EAN	QT
FS-LDV-2001	FIXED ANCHORAGE POINT	5605423804928	2
FS-LDV-2005	SHOCK ABSORBER	5605423804935	2
FS-LDV-2006	CRIMPING TERMINAL	5605423804942	1
FS-LDV-2008	PRETENSION CRIMPING TERMINAL	5605423804959	1
FS-LDV-006	CABLE Ø 8 MM CONSTRUCTION 7X7	5605423804966	45
FS-LDV-2011	GLIDER 8	5605423804973	1
FS-LDV-2002	INTERMEDIATE BRACKET 60/65	5605423804980	2
FS33501	OVAL CARABINER ST SCREW LOCK	5605423810844	1
FS-LDV-007	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423802894	1
FS007	I CHECK CABLE TIE	5605423800265	1



SPARE PARTS

S-LINE



FS-LDV-006

CABLE Ø 8MM CONSTRUCTION
7X7

DESIGN
PROTECTION



MATERIAL	WEIGHT	DIAMETER	 EAN
STAINLESS STEEL	0,249 KG/M	Ø 8MM	5605423804966




FS-LDV-010

CRIMPING RING
FOR JUNCTION

DESIGN
PROTECTION



MATERIAL	WEIGHT	DIAMETER	LENGTH	 EAN
STAINLESS STEEL	0,173 KG	Ø 15MM	200MM	5605423804997




FS-LDV-2001

FIXED ANCHORAGE POINT

DESIGN
PROTECTION





MATERIAL	WEIGHT	DIMENSIONS	 EAN
STAINLESS STEEL	2,251 KG	190x265MM	5605423804928



FS-LDV-2002

INTERMEDIATE BRACKET 60/65

DESIGN
PROTECTION




MATERIAL	WEIGHT	DIMENSIONS	EAN
STAINLESS STEEL	1,145 KG	182,20x100MM	5605423804980

FS-LDV-2005

SHOCK ABSORBER

DESIGN
PROTECTION




MATERIAL	WEIGHT	DIMENSIONS	EAN
STAINLESS STEEL	1,307 KG	306,40x66MM	5605423804935

FS-LDV-2006

CRIMPING TERMINAL

DESIGN
PROTECTION




MATERIAL	WEIGHT	DIAMETER	DIMENSIONS	EAN
STAINLESS STEEL	0,220 KG	Ø 25MM	147x25MM	5605423804942

FS-LDV-2007

CURVE 90°

DESIGN
PROTECTION




MATERIAL	WEIGHT	DIMENSIONS	CURVE ANGLE	EAN
STAINLESS STEEL	2,831 KG	316x395.40MM	90°	5605423805000

FS-LDV-2008

PRETENSION CRIMPING TERMINAL


DESIGN
PROTECTION



MATERIAL	WEIGHT	DIAMETER	LENGTH	EAN
STAINLESS STEEL	0,541 KG	Ø 12.5MM	335MM	5605423804959

FS-LDV-2011 GLIDER 8

MATERIAL	WEIGHT	DIMENSIONS	EAN
STAINLESS STEEL	0,328 KG	70.76x58.50MM	5605423804973



FS33501 OVAL SHAPE CARABINER

MATERIAL	WEIGHT	EAN
STEEL	0,170 KG	5605423810844



FS-LDV-007 WARNING PLATE FOR HORIZONTAL SYSTEM EN795

MATERIAL	WEIGHT	EAN
PVC	0,350 KG	5605423815658




FS007 I CHECK CABLE TIE

WEIGHT	EAN
0,005 KG	5605423800265



VERTICAL KITS



CE EN 353-1:2014
+A1:2017

FS-VERTIX-15M


**S-LINE VERTIX - VERTICAL
LIFE LINE 15 METERS**

DESIGN
PROTECTION



FALL SAFE® S-LINE VERTIX 15M is a guided type fall arrester including a rigid anchor line is permanently installed on a ladder or other structure to allow access for people who will be protected against the risk of falling.

REFERENCE	NAME	EAN	QT
FS-LDV-3005	LDV CABLE Ø 8 MM	5605423806045	1
FS-LDV-3003	JAW AND JAW TURNBUCKLES SS4	5605423806052	1
FS-LDV-3001	TOP BOTTOM BRACKET FOR VERTICAL LIFELINE	5605423806069	2
10-1663	WIRE CLAMP STAINLESS STEEL FOR 8MM CABLE	5605423806076	3
FS680	S-LINE VERTIX GRAB KIT	5605423805864	1
FS-LDV-3004	CABLE GUIDE (EVERY 8M)	5605423806090	1
FS895	MAILLON STAINLESS STEEL - ANSI 316	5605423806571	1
FS-LDV-007-V	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423815641	1
FS007	I CHECK CABLE TIE	5605423800265	1



CE EN 353-1:2014
+A1:2017

FS-VERTIX-30M


**S-LINE VERTIX - VERTICAL
LIFE LINE 30 METERS**

DESIGN
PROTECTION



FALL SAFE® S-LINE VERTIX 30M is a guided type fall arrester including a rigid anchor line is permanently installed on a ladder or other structure to allow access for people who will be protected against the risk of falling.

REFERENCE	NAME	EAN	QT
FS-LDV-3005	LDV CABLE Ø 8 MM	5605423806045	1
FS-LDV-3003	JAW AND JAW TURNBUCKLES SS4	5605423806052	1
FS-LDV-3001	TOP BOTTOM BRACKET FOR VERTICAL LIFELINE	5605423806069	2
10-1663	WIRE CLAMP STAINLESS STEEL FOR 8MM CABLE	5605423806076	3
FS680	S-LINE VERTIX GRAB KIT	5605423805864	1
FS-LDV-3004	CABLE GUIDE (EVERY 8M)	5605423806090	3
FS895	MAILLON STAINLESS STEEL - ANSI 316	5605423806571	1
FS-LDV-007-V	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423815641	1
FS007	I CHECK CABLE TIE	5605423800265	1



CE EN 353-1:2014
+A1:2017


FS-VERTIX-45M

S-LINE VERTIX - VERTICAL LIFE LINE 45 METERS

FALL SAFE® S-LINE VERTIX 45M is a guided type fall arrester including a rigid anchor line is permanently installed on a ladder or other structure to allow access for people who will be protected against the risk of falling.

REFERENCE	NAME	EAN	QT
FS-LDV-3005	LDV CABLE Ø 8 MM	5605423806045	1
FS-LDV-3003	JAW AND JAW TURNBUCKLES SS4	5605423806052	1
FS-LDV-3001	TOP BOTTOM BRACKET FOR VERTICAL LIFELINE	5605423806069	2
10-1663	WIRE CLAMP STAINLESS STEEL FOR 8MM CABLE	5605423806076	3
FS680	S-LINE VERTIX GRAB KIT	5605423805864	1
FS-LDV-3004	CABLE GUIDE (EVERY 8M)	5605423806090	5
FS895	MAILLON STAINLESS STEEL - ANSI 316	5605423806571	1
FS-LDV-007-V	WARNING PLATE FOR HORIZONTAL SYSTEM	5605423815641	1
FS007	I CHECK CABLE TIE	5605423800265	1

DESIGN
PROTECTION



SPARE PARTS VERTIX



FS-LDV-3005

LDV CABLE Ø 8 MM 7X19

DESIGN
PROTECTION



MATERIAL	WEIGHT	DIAMETER	LENGTH	EAN
STAINLESS STEEL	0,249 KG/M	Ø 8MM	5 TO 100 METERS (5 METERS INTERVAL)	IN REQUEST (DEPEND- ING ON CABLE LENGTH)




FS-LDV-3003

JAW AND JAW TURNBUCKLES SS4

DESIGN
PROTECTION



MATERIAL	WEIGHT	LENGTH	EAN
STAINLESS STEEL	0,546 KG	FROM 80 TO 410 MM	5605423806052




FS-LDV-3001

TOP BOTTOM BRACKET FOR VERTICAL LIFELINE

DESIGN
PROTECTION



MATERIAL	WEIGHT	DIMENSIONS	EAN
STAINLESS STEEL	1,428 KG	390x85MM	5605423806069




10-1663

WIRE CLAMP STAINLESS STEEL FOR 8MM CABLE

MATERIAL	WEIGHT	DIMENSIONS		EAN
STAINLESS STEEL	0,035 KG	FOR 8MM CABLE		5605423806076

DESIGN PROTECTION




FS680

S-LINE VERTIX GRAB KIT

MATERIAL	WEIGHT	DIMENSIONS		EAN
STAINLESS STEEL	0,694 KG	306,40x66MM		5605423805864

DESIGN PROTECTION





FS-LDV-3004

CABLE GUIDE

MATERIAL	WEIGHT	DIMENSIONS		EAN
STAINLESS STEEL	0,632 KG	80x110MM		5605423806090

DESIGN PROTECTION



FS895

STANDARD MAILLON STAINLESS STEEL

MATERIAL	WEIGHT	DIMENSIONS	OPENING		EAN
STAINLESS STEEL	0,078 KG	40x75MM	10MM		5605423806571

DESIGN PROTECTION



FS-LDV-007-V

WARNING PLATE FOR VERTICAL SYSTEM EN353-1

MATERIAL


WEIGHT

EAN

PVC

0,350 KG

5605423815641



FS007

I CHECK CABLE TIE

WEIGHT

EAN

0,005 KG

5605423800265





FALL SAFE ON LINE, LDA.

Zona Industrial da Varziela, rua B - Lote 54
4480-620 Vila do Conde - Portugal
support@fallsafe-online.com