



PROFESSIONAL

FS202

CLASSIC - HARNESS

The CLASSIC is a full body harness. The top of the harness features Croc 3.0 padding that allows airflow through all layers, while the rig's legs have lightweight padding for added comfort. On the front of the equipment there are 2 loops for fixing point (1/2 A + 1/2 A - EN361) and a ring on the back (EN361). The front of the equipment is adjustable through the IZY quick connect buckle, which also allows the equipment to be easily dressed, like a jacket. With multiple adjustment points, this harness easily adapts to its user. It is identified with an RFID tag, S/N label and QR code for easy tracking and control.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N RFID QR Code
STANDARDS	CE - EN361:2002
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Aluminium, steel
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	PA6, silicone
WEBBING TYPE	PES 45mm water-repellent
D-RINGS	ALU D-Ring back, 2 front loops
ANCHOR POINTS (A)	2
SHOULDER PADDING	Yes - Croc Smooth Padding 3.0
LUMBAR PADDING	No
LEG PADDING	Yes
PADDING MATERIAL	TPU, EVA, PA, high visibility mesh and fabric PES
SEAT CONNECTION POINT	No
TOOL HOLDERS	No
ADJUSTMENT POINTS	5
BUCKLES	3 ALU IZY quick connect buckles; 2 ST 3-bar buckles
FALL ARREST INDICATORS	Yes
LANYARD KEEPERS	Yes
WEIGHT PER SIZE EAN PER SIZE	FS202-S/M - 1.30kg - 5605423751383 FS202-XXL - 1.90kg - 5605423570021 FS202-L/XL - 1.50kg - 5605423570014


PROFESSIONAL
FS202
CLASSIC - HARNESS

O CLASSIC é um arnês de corpo inteiro. O topo do equipamento leva o padding Croc 3.0 que permite fluxo de ar através de todas as camadas, enquanto as pernas do equipamento têm um acolchoamento leve para maior conforto. Na frente do equipamento existem 2 loops para ponto de fixação (1/2 A + 1/2 A - EN361) e um anel na parte traseira (EN361). A frente do equipamento é ajustável através da fivela IZY quick connect, que permite ainda que o equipamento seja vestido facilmente, como um casaco. Com vários pontos de ajuste, este arnês adapta-se facilmente ao seu utilizador. O equipamento está identificado com tag RFID, etiqueta S/N e código QR para fácil rastreabilidade e controlo.


Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N RFID QR Code
NORMAS	CE - EN361:2002
INTRASTAT	63079098

Imagens do Produto


ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Aluminium, steel
COMPONENTES TÊXTEIS	Polyester
OUTROS MATERIAIS	PA6, silicone
TIPO DE FITA	PES 45mm water-repellent
D-RINGS	ALU D-Ring back, 2 front loops
PONTOS DE ANCORAGEM (A)	2
PADDING OMBROS	Yes - Croc Smooth Padding 3.0
PADDING LOMBAR	No
PADDING PERNA	Yes
MATERIAL DO PADDING	TPU, EVA, PA, high visibility mesh and fabric PES
PONTO LIGAÇÃO DE CADEIRA	No
SUPORTE DE FERRAMENTAS	No
PONTOS DE AJUSTE	5
FIVELAS	3 ALU IZY quick connect buckles; 2 ST 3-bar buckles
INDICADORES DE QUEDA	Yes
SUPORTE DE LONGES	Yes
PESO POR TAMANHO EAN POR TAMANHO	FS202-S/M - 1.30kg - 5605423751383 FS202-XXL - 1.90kg - 5605423570021 FS202-L/XL - 1.50kg - 5605423570014