



BASIC

FS670

BRANTA 1 ANCHOR LINE

FS670 BRANTA 1 is an anchor line composed of an 11mm rope and a stainless steel block with high tensile strength and an energy absorber.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN353-2:2002
INTRASTAT	56090000

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	PA, PA6, PES, Steel
ROPE TYPE	PA (core) + PES (cover) 11 mm static
DEVICE	ST rope grab
MAX LENGTH	200 m
ENERGY ABSORBER	Yes
SEAMS PROTECTOR	Yes
SHARP EDGE TESTED	No

WEIGHT PER SIZE EAN/UPC PER SIZE

FS670-5M - 1,60kg - 5605423801255
FS670-MM-10M - 2,00kg - 5605423800500
FS670-LL-20M-19 - 3,70kg - 5605423812534
FS670-LL-20M - 3,70kg - 5605423690101
FS670-LL-15M - 2,70kg - 5605423802382
FS670-LL-10M-19 - 2,00kg - 5605423812527
FS670-LL-10M - 2,00kg - 5605423801606
FS670-50M - 6,20kg - 5605423753479
FS670-38020 - 2,70kg -
FS670-30M - 4,80kg - 5605423754100
FS670-25M - 3,90kg - 5605423753462
FS670-20M - 3,70kg - 5605423753455
FS670-15M - 2,70kg - 5605423753448
FS670-10M-1013 - 2,00kg - 5605423753431
FS670-10M - 2,00kg - 5605423753431



BASIC

FS670

BRANTA 1 ANCHOR LINE

FS670 BRANTA 1 is an anchor line composed of an 11mm rope and a stainless steel block with high tensile strength and an energy absorber.



INFORMATIONS TECHNIQUES

DURÉE DE VIE	10
CHARGE MAXIMALE	CE - 140kg
INSPECTION	Yearly
TRAÇABILITÉ	S/N QR Code
NORMES	CE - EN353-2:2002
INTRASTAT	56090000

PHOTOS PRODUIT



SPÉCIFICATIONS

WEIGHT PER SIZE EAN/UPC PER SIZE

FS670-5M	- 1,60kg	- 5605423801255
FS670-MM-10M	- 2,00kg	- 5605423800500
FS670-LL-20M-19	- 3,70kg	- 5605423812534
FS670-LL-20M	- 3,70kg	- 5605423690101
FS670-LL-15M	- 2,70kg	- 5605423802382
FS670-LL-10M-19	- 2,00kg	- 5605423812527
FS670-LL-10M	- 2,00kg	- 5605423801606
FS670-50M	- 6,20kg	- 5605423753479
FS670-38020	- 2,70kg	-
FS670-30M	- 4,80kg	- 5605423754100
FS670-25M	- 3,90kg	- 5605423753462
FS670-20M	- 3,70kg	- 5605423753455
FS670-15M	- 2,70kg	- 5605423753448
FS670-10M-1013	- 2,00kg	- 5605423753431
FS670-10M	- 2,00kg	- 5605423753431



BASIC

FS670

BRANTA 1 ANCHOR LINE

FS670 BRANTA 1 é uma linha de ancoragem composta por um corda 11mm e um bloqueador em aço inoxidável com alta resistência à tração e um absorvedor de energia.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN353-2:2002
INTRASTAT	56090000

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	PA, PA6, PES, Aço
TIPO DE CORDA	PA (interior) + PES (exterior) 11 mm estático
DISPOSITIVO	ST bloqueador de corda
COMPRIMENTO MÁX	200 m
ABSORBEDOR DE ENERGIA	Sim
PROTETOR DE COSTURAS	Sim
TESTADO ARESTAS CORTANTES	Não

WEIGHT PER SIZE EAN/UPC PER SIZE

FS670-5M - 1,60kg - 5605423801255
FS670-MM-10M - 2,00kg - 5605423800500
FS670-LL-20M-19 - 3,70kg - 5605423812534
FS670-LL-20M - 3,70kg - 5605423690101
FS670-LL-15M - 2,70kg - 5605423802382
FS670-LL-10M-19 - 2,00kg - 5605423812527
FS670-LL-10M - 2,00kg - 5605423801606
FS670-50M - 6,20kg - 5605423753479
FS670-38020 - 2,70kg -
FS670-30M - 4,80kg - 5605423754100
FS670-25M - 3,90kg - 5605423753462
FS670-20M - 3,70kg - 5605423753455
FS670-15M - 2,70kg - 5605423753448
FS670-10M-1013 - 2,00kg - 5605423753431
FS670-10M - 2,00kg - 5605423753431