



**PROFESSIONAL**

**FS33570**

**OVAL SHAPE CARABINER | ALUMINIUM ALLOY - SCREW LOCK - 24KN/ 8KN | OPENING 21MM**

21mm connector made of high quality aluminium with screw locking. It has a breaking strength of 24/8kN.

**TECHNICAL INFORMATION**

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Anodized aluminium
MAX OPENING	21 mm
TYPE	Oval shape Carabiner
CLASS	B
LOCK TYPE	Manual Screw-Lock
MAX STRENGTH	24kN
DIMENSIONS	111x61 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33570 - 0,10kg - 5605423806441



**PROFESSIONAL**

**FS33570**

**OVAL SHAPE CARABINER | ALUMINIUM ALLOY - SCREW LOCK - 24KN/ 8KN | OPENING 21MM**

Conector de 21 mm em alumínio de alta qualidade com fecho de parafuso. Tem uma resistência à rutura de 24/8kN.

**Informação Técnica**

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

**Imagens do Produto**



**ESPECIFICAÇÕES**

MATERIAL	Anodized aluminium
ABERTURA MAX	19 mm
TIPO	Oval shape Carabiner
CLASSE	B
TIPO DE FECHO	Manual Screw-Lock
FORÇA MÁX	24kN
DIMENSÕES	111x61 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33570 - 0,10kg - 5605423806441