



PROFESSIONAL

FS275

URATOR PRO

URATOR PRO is a full body harness for fall protection with a dorsal aluminium D-ring (EN361) and one chest aluminium D-ring (EN361). This harness has five adjustment points, three on the chest with steel bar buckle and quick connect buckle and the other two on the quick connect aluminium buckles on the legs. The 44mm polyester webbing contrast with the polyester grey seams. The webbing has 2 different colours to be easier to dress and positioning orientation. For better comfort it has a soft padding on the back and legs. The harness is identified with an RFID tag, S/N label and QR code for easy tracking and control.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N RFID QR Code
STANDARDS	CE - EN361:2002
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Aluminium, steel
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	PA6, silicone
WEBBING TYPE	PES 44mm
D-RINGS	Front, back
ANCHOR POINTS (A)	2
SHOULDER PADDING	Yes - Croc Smooth Padding 3.0
LUMBAR PADDING	No
LEG PADDING	Yes
PADDING MATERIAL	TPU, EVA, PA, high visibility mesh and fabric PES
SEAT CONNECTION POINT	No
TOOL HOLDERS	No
ADJUSTMENT POINTS	5
BUCKLES	3 ALU IZY quick connect buckles; 2 ST 3-bar buckles
FALL ARREST INDICATORS	Yes
LANYARD KEEPERS	Yes
MAX RATED LOAD	140kg
WEIGHT PER SIZE EAN/UPC PER SIZE	FS275-S/M - 1.70kg - 5605423805758 FS275-XXL - 2.10kg - 5605423805765 FS275-L/XL - 1.90kg - 5605423805741



PROFESSIONAL

FS275

URATOR PRO

URATOR PRO is a full body harness for fall protection with a dorsal aluminium D-ring (EN361) and one chest aluminium D-ring (EN361). This harness has five adjustment points, three on the chest with steel bar buckle and quick connect buckle and the other two on the quick connect aluminium buckles on the legs. The 44mm polyester webbing contrast with the polyester grey seams. The webbing has 2 different colours to be easier to dress and positioning orientation. For better comfort it has a soft padding on the back and legs. The harness is identified with an RFID tag, S/N label and QR code for easy tracking and control.



INFORMATIONS TECHNIQUES

DURÉE DE VIE	10
CHARGE MAXIMALE	CE - 140kg
INSPECTION	Yearly
TRAÇABILITÉ	S/N RFID QR Code
NORMES	CE - EN361:2002
INTRASTAT	63079098

PHOTOS PRODUIT



SPÉCIFICATIONS

WEIGHT PER SIZE EAN/UPC PER SIZE

FS275-S/M - 1.70kg - 5605423805758

FS275-XXL - 2.10kg - 5605423805765

FS275-L/XL - 1.90kg - 5605423805741



PROFESSIONAL

FS275

URATOR PRO

URATOR PRO é um arnês de corpo inteiro para proteção contra quedas com uma argola D dorsal de alumínio (EN361) e uma argola D no peito de alumínio (EN361). Este arnês tem cinco pontos de ajuste, três no peito com fivela de barra de aço e fivela IZY connect e os outros dois nas fivelas de alumínio IZY connect nas pernas. A fita de poliéster de 44 mm contrasta com as costuras de poliéster cinza. A fita tem 2 cores diferentes para facilitar ao utilizador vestir o equipamento e a orientação do posicionamento do mesmo. Para maior conforto, possui um acolchoamento macio nas costas (Croc 3.0 com fluxo de ar) e nas pernas. O equipamento está identificado com tag RFID, etiqueta S/N e código QR para fácil rastreabilidade e controlo.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N RFID QR Code
NORMAS	CE - EN361:2002
INTRASTAT	63079098

Imagens do Produto



ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Alumínio, aço
COMPONENTES TÊXTEIS	Poliéster
OUTROS MATERIAIS	PA6, silicone
TIPO DE FITA	PES 44mm
D-RINGS	Frente, costas
PONTOS DE ANCORAGEM (A)	2
PADDING OMBROS	Sim - Croc Smooth Padding 3.0
PADDING LOMBAR	Não
PADDING PERNA	Sim
MATERIAL DO PADDING	TPU, EVA, PA, malha de alta visibilidade e tecido PES
PONTO LIGAÇÃO DE CADEIRA	Não
SUPORTE DE FERRAMENTAS	Não
PONTOS DE AJUSTE	5
FIVELAS	3 fivelas de conexão rápida ALU IZY; 2 fivelas ST de 3 barras
INDICADORES DE QUEDA	Sim
SUPORTE DE LONGES	Sim
CARGA MÁXIMA	140kg
WEIGHT PER SIZE EAN/UPC PER SIZE	FS275-S/M - 1.70kg - 5605423805758 FS275-XXL - 2.10kg - 5605423805765 FS275-L/XL - 1.90kg - 5605423805741