



PROFESSIONAL

FS907

EVAK - RESCUE EQUIPMENT

The FALL SAFE® FS907 - EVAK RESCUE EQUIPMENT is a rescue kit with equipment for remote rescue of the victim. This rescue kit has an descender device with an integrated manual lifting function and a switchable reverse lock.

The kit also includes 1 rescue pole with extension from 0.8m to 3.6m, 1 PES webbing (25mm) anchor sling, 2 aluminium karabiner and 1 ABS Casing, with special compartment for the pole.



TECHNICAL INFORMATION

LIFESPAN	N/A
MAXIMUM LOAD	CE - 200kg
INSPECTION	Yearly
TRACEABILITY	N/A S/N QR Code
STANDARDS	CE - N/A
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Aluminium
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	Silicone
ROPE TYPE	Kernmantle Ø9.6mm
DEVICE	Automatic descender system (speed - 1.5m/s)
CONNECTORS	1x FS820 ALU screw lock 25kN + 2x hooks
MAX RATED LOAD	200kg, Emergency only 280kg
MAX USERS NO.	1
COMPONENTS	1x aluminium karabiner, 2x aluminium hooks, 1x PES anchor sling, 1x wheel descender, 1x rescue pole (0.8-3.6 m)

WEIGHT PER SIZE | EAN PER SIZE

FS907-20M	- 2,60kg	- 5605423430301
FS907-100M	- 12,70kg	- 5605423435283
FS907-150M	- 13,50kg	- 5605423802948
FS907-200M	- 25,50kg	- 5605423802993
FS907-30M	- 3,30kg	- 5605423430608
FS907-40M	- 4,40kg	- 5605423752311
FS907-50M	- 5,40kg	- 5605423751284
FS907-60M	- 6,30kg	- 5605423752328
FS907-70M	- 6,70kg	- 5605423813685
FS907-80M	- 7,20kg	- 5605423430554
FS907-90M	- 9,90kg	- 5605423430677
FS907J-20M	- 2,60kg	- 5605423810387
FS907-10M	- 0,00kg	-


PROFESSIONAL
FS907
EVAK - RESCUE EQUIPMENT

FALL SAFE® FS907 - EVAK RESCUE EQUIPMENT é um kit de resgate com equipamento para resgate remoto da vítima. Este kit de resgate possui um dispositivo de descida com função manual de elevação integrada e sistema de bloqueio. O kit também inclui 1 vara de resgate com extensão de 0,8m a 3,6m, 1 cinta de ancoragem PES (25mm), 2 mosquetões de alumínio e 1 caixa ABS, armazenamento com compartimento especial para a vara.


Informação Técnica

TEMPO DE VIDA ÚTIL	N/A
CARGA MÁXIMA	CE - 200kg
INSPEÇÃO	Yearly
RASTREABILIDADE	N/A S/N QR Code
NORMAS	CE - N/A
INTRASTAT	63079098

Imagens do Produto


ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Alumínio
COMPONENTES TÊXTEIS	Poliéster
OUTROS MATERIAIS	Silicone
TIPO DE CORDA	Kernmantle Ø9.6mm
DISPOSITIVO	Sistema de descida automática (velocidade - 1,5 m/s)
CONECTORES	1x FS820 ALU screw lock 25kN + 2x hooks
CARGA MÁXIMA	200kg, Emergencia unicamente 280kg
Nº MÁX UTILIZADORES	1
INVÓLUCRO	Aluminium
CHASSIS	Steel
COMPRIMENTO	20M
COMPONENTES	1x conector de alumínio, 2x ganchos de alumínio, 1x PES estropo de ancoragem, 1x descensor, 1x vara de resgate (0.8-3.6 m)
PESO POR TAMANHO EAN POR TAMANHO	FS907-20M - 2,60kg - 5605423430301 FS907-100M - 12,70kg - 5605423435283 FS907-150M - 13,50kg - 5605423802948 FS907-200M - 25,50kg - 5605423802993 FS907-30M - 3,30kg - 5605423430608 FS907-40M - 4,40kg - 5605423752311 FS907-50M - 5,40kg - 5605423751284 FS907-60M - 6,30kg - 5605423752328 FS907-70M - 6,70kg - 5605423813685 FS907-80M - 7,20kg - 5605423430554 FS907-90M - 9,90kg - 5605423430677 FS907J-20M - 2,60kg - 5605423810387 FS907-10M - 0,00kg -