

PROFESSIONAL

FS241.03



KEV SLIM FIRE BRIGADE BELT

FS241.03 is a belt designed for extreme environments, specifically for firefighters, due to its heat-resistant materials, Kevlar® webbing and flame-retardant textiles. It has two fabric side loops for positioning (EN358) and 2 fabric tool holders. At the front of the harness there is a special buckle with an integrated D-ring and can be associated with the legs FS241.04 to be used for suspension (EN12277). This belt is compact and lightweight.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN358:2018
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Aluminium
TEXTILE PARTS	Kevlar®, Polyester
OTHER COMPONENTS MATERIAL	Plastic, Velcro®, PA6
WEBBING TYPE	Kevlar® webbing 45mm
D-RINGS	Textile loops on side, special front D-ring buckle
ANCHOR POINTS (A)	3
LUMBAR PADDING	Yes
SEAT CONNECTION POINT	No
TOOL HOLDERS	2
ADJUSTMENT POINTS	1 (belt) + 3 (legs)
BUCKLES	1 ALU quick connect buckle (belt)
FALL ARREST INDICATORS	No
WEIGHT PER SIZE EAN PER SIZE	FS241.03 - 1.10kg - 5605423808179

PROFESSIONAL

FS241.03



KEV SLIM FIRE BRIGADE BELT

FS241.03 é um cinto desenhado para ambientes extremos, especificamente para bombeiros, devido aos seus materiais resistentes ao calor, fitas Kevlar® e têxteis anti-chama. Tem dois loops na lateral em tecido para posicionamento (EN358) e 2 suportes de ferramenta em tecido. Na frente do arnês tem uma fivela especial com D-ring integrado e pode ser associado às pernas FS241.04 para ser usado para suspensão (EN12277). Este cinto é compacto e leve.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN358:2018
INTRASTAT	63079098

Imagens do Produto



ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Aluminium
COMPONENTES TÊXTEIS	Kevlar®, Polyester
OUTROS MATERIAIS	Plastic, Velcro®, PA6
TIPO DE FITA	Kevlar® webbing 45mm
D-RINGS	Textile loops on side, special front D-ring buckle
PONTOS DE ANCORAGEM (A)	3
PADDING LOMBAR	Yes
PONTO LIGAÇÃO DE CADEIRA	No
SUORTE DE FERRAMENTAS	2
PONTOS DE AJUSTE	1 (belt) + 3 (legs)
FIVELAS	1 ALU quick connect buckle (belt)
INDICADORES DE QUEDA	No
PESO POR TAMANHO EAN POR TAMANHO	FS241.03 - 1.10kg - 5605423808179