



**PROFESSIONAL**

**FS3030 - FS3037**

**DYNAMO VOLT - HELMET (WHITE)**

DYNAMO VOLT Helmet is an industrial/work at height/rescue helmet, with Electrical insulation.

It has quick release buckle, adjustable and removable chinstrap, removable and washable headband and chinstrap and security device release system (according to the EN397 standard) between 15 and 25 daN. The helmet has slots for ear protectors (quick ?xing/release system), rear adjustable size ?system and headlamp clips.



**TECHNICAL INFORMATION**

LIFESPAN	10 (+5 stock)
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN397:2012+A1:2012 CE - EN50365:2002
INTRASTAT	65061010

**PRODUCT PHOTOS**



**SPECIFICATIONS**

TEXTILE PARTS Polyester

MATERIAL Polystyrene inner shell (EPS) + ABS external shell

TYPE Electrical insulation 440 Vac

CAPACITY Low temperature -40°

DIMENSIONS 54/62 cm.

COLOR FS3030 - white, FS3031 - blue, FS3032 - red, FS3033 - orange, FS3034 - black, FS3035 - yellow, FS3036 - green, FS3037 - grey

WEIGHT PER SIZE | EAN  
PER SIZE

FS3030 - 0.59kg - 5605423500172  
 FS3034 - 0.59kg - 5605423500158  
 FS3031 - 0.59kg - 5605423514780  
 FS3036 - 0.59kg - 5605423517231  
 FS3037 - 0.59kg - 5605423517835  
 FS3033 - 0.39kg - 5605423500196  
 FS3032 - 0.59kg - 5605423514797  
 FS3035 - 0.59kg - 5605423517255

**PROFESSIONAL**

**FS3030 - FS3037**

**DYNAMO VOLT - HELMET (WHITE)**



O Capacete DYNAMO VOLT é um capacete industrial / de trabalho em altura / resgate, com Isolamento Elétrico. Possui fivela de liberação rápida, cinta de fixação ajustável e removível, fita para o cabelo removível e lavável e tira para a cabeça removível e lavável e sistema de liberação do dispositivo de segurança (de acordo com a norma EN397) entre 15 e 25 daN. O capacete possui ranhuras para protetores auriculares (sistema de fixação / liberação rápida), sistema de tamanho traseiro ajustável e presilhas dos faróis.



**Informação Técnica**

TEMPO DE VIDA ÚTIL	10 (+5 stock)
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN397:2012+A1:2012 CE - EN50365:2002
INTRASTAT	65061010

**Imagens do Produto**



**ESPECIFICAÇÕES**

COMPONENTES TÊXTEIS Polyester

MATERIAL Polystyrene inner shell (EPS) + ABS external shell

TIPO Electrical insulation 440 Vac

CAPACIDADE Low temperature -40°

DIMENSÕES 54/62 cm.

COR FS3030 - branco, FS3031 - azul, FS3032 - vermelho, FS3033 - laranja, FS3034 - preto, FS3035 - amarelo, FS3036 - verde, FS3037 - cinzento

PESO POR TAMANHO | EAN  
POR TAMANHO

FS3030 - 0.59kg - 5605423500172  
 FS3034 - 0.59kg - 5605423500158  
 FS3031 - 0.59kg - 5605423514780  
 FS3036 - 0.59kg - 5605423517231  
 FS3037 - 0.59kg - 5605423517835  
 FS3033 - 0.39kg - 5605423500196  
 FS3032 - 0.59kg - 5605423514797  
 FS3035 - 0.59kg - 5605423517255