



**FS33401**

**SINGLE PULLEY**

- Single pulley
- Up to three connectors can be fitted to the large eyelet
- Made from aluminum alloy and stainless steel
- Pulleys mounted on ball bearings
- For use with ropes  $\varnothing = 13$  mm
- Designed for conveying and diversion systems



**TECHNICAL INFORMATION**

LIFESPAN	N/A
MAXIMUM LOAD	CE - 36 kN
INSPECTION	N/A
TRACEABILITY	N/A
STANDARDS	CE - EN12278:2007
INTRASTAT	84799070

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Aluminum alloy, stainless steel
ROPE TYPE	For ropes = Ø 13 mm
MAX STRENGTH	36 kN
DIMENSIONS	70 x 100 x 55 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33401 - 0,60kg - 5605423815627



### FS33401

#### SINGLE PULLEY

- Roldana singular
- Até três conectores podem ser encaixados no ilhó grande
- Fabricado em liga de alumínio e aço inoxidável
- Polias montadas em rolamentos de esferas
- Para uso com cordas  $\varnothing = 13$  mm
- Projetado para sistemas de transporte e desvios



#### Informação Técnica

TEMPO DE VIDA ÚTIL	N/A
CARGA MÁXIMA	CE - 36 kN
INSPEÇÃO	N/A
RASTREABILIDADE	N/A
NORMAS	CE - EN12278:2007
INTRASTAT	84799070

#### Imagens do Produto



**ESPECIFICAÇÕES**

MATERIAL	Liga de alumínio, aço inoxidável
TIPO DE CORDA	Para cordas = Ø 13 mm
FORÇA MÁX	36 kN
DIMENSÕES	70 x 100 x 55 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33401 - 0,60kg - 5605423815627