



BASIC COMFORT

FS2020d

BERKUT 4

FS2020 is a harness with metallic steel parts, which has 1 dorsal fall arrest D-ring (A - EN361), 2 rotating D-rings for work positioning (EN358) and 2 chest loops (1/2 A + 1/2 A - EN361). This equipment was specifically designed for work on telecommunications towers or wind turbines. The fact that it has rotating positioning rings allows the user to maintain great mobility. It has multiple tool holders (6) around the belt for easy tool storage and access. The grey contrasting stitch on the webbing allows the inspection to be easier.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 100kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN358:2018 CE - EN361:2002
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Steel
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	Silicone, Poliamida
WEBBING TYPE	PES webbing 45mm high visibility; PES elastic webbing 45mm black
D-RINGS	ST D-ring at back and sides, 2 front loops
ANCHOR POINTS (A)	4
SHOULDER PADDING	No
LUMBAR PADDING	Yes
LEG PADDING	No
SEAT CONNECTION POINT	No
TOOL HOLDERS	6
ADJUSTMENT POINTS	5
BUCKLES	3 ST deluxe buckles; 2 ST bar buckles
FALL ARREST INDICATORS	Yes
LANYARD KEEPERS	No
WEIGHT PER SIZE EAN PER SIZE	FS2020-S/M - 2,06kg - 5605423752403 FS2020-XXL - 2,11kg - 5605423754087 FS2020-L/XL - 2,09kg - 5605423752410


BASIC COMFORT
FS2020d
BERKUT 4

FS2020 é um arnês com peças em aço metálico, que possui 1 anel D dorsal antiqueda (A - EN361), 2 anéis D rotativos para posicionamento de trabalho (EN358) e 2 loops no peito (1/2 A + 1/2 A - EN361). Este equipamento foi projetado especificamente para trabalhos em torres de telecomunicações ou turbinas eólicas. O facto de possuir anéis de posicionamento rotativos permite ao usuário manter grande mobilidade. Tem vários suportes de ferramentas (6) ao redor do cinto para facilitar a salvaguarda e acesso a ferramentas. A costura cinzenta que contrasta com as fitas permite uma inspeção mais fácil.


Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 100kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN358:2018 CE - EN361:2002
INTRASTAT	63079098

Imagens do Produto


ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Steel
COMPONENTES TÊXTEIS	Polyester
OUTROS MATERIAIS	Silicone, Poliamida
TIPO DE FITA	PES webbing 45mm high visibility; PES elastic webbing 45mm black
D-RINGS	ST D-ring at back and sides, 2 front loops
PONTOS DE ANCORAGEM (A)	4
PADDING OMBROS	No
PADDING LOMBAR	Yes
PADDING PERNA	No
PONTO LIGAÇÃO DE CADEIRA	No
SUORTE DE FERRAMENTAS	6
PONTOS DE AJUSTE	5
FIVELAS	3 ST deluxe buckles; 2 ST bar buckles
INDICADORES DE QUEDA	Yes
SUORTE DE LONGES	No
PESO POR TAMANHO EAN POR TAMANHO	FS2020-S/M - 2,06kg - 5605423752403 FS2020-XXL - 2,11kg - 5605423754087 FS2020-L/XL - 2,09kg - 5605423752410