

FS33580

OVAL SHAPE CARABINER | STEEL ALLOY - TWIST LOCK - 25KN/ 7KN | OPENING 19MM

19mm connector made of high quality aluminium with auto twist lock. It has a breaking strength of 25/7kN.

TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

PRODUCT PHOTOS



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

SPECIFICATIONS

MATERIAL	Stainless steel and aluminium
MAX OPENING	19 mm
TYPE	Oval shape Carabiner
CLASS	B
LOCK TYPE	Auto Twist-lock
MAX STRENGTH	25kN
DIMENSIONS	108x59 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33580 - 0,18kg -

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM



FS33580

OVAL SHAPE CARABINER | STEEL ALLOY - TWIST LOCK - 25KN/ 7KN | OPENING 19MM

Conector de 19 mm fabricado em alumínio de alta qualidade com bloqueio automático por torção. Tem uma resistência à rutura de 25/7kN.

Informação Técnica

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

Imagens do Produto



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

ESPECIFICAÇÕES

MATERIAL	Stainless steel and aluminium
ABERTURA MAX	19 mm
TIPO	Oval shape Carabiner
CLASSE	B
TIPO DE FECHO	Auto Twist-lock
FORÇA MÁX	25kN
DIMENSÕES	108x59 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33580 - 0,18kg -

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM