



FS8016

STANDARD - TOOLS LANYARD

{\rtf1\ansi\ansicpg1252\deff0\nouicompat\deflang1033{\fonttbl{\f0\fswiss\prq2\fchar Verdana;}}
 {*\generator Riched20 10.0.20348}\viewkind4\uc1
 \pard\fs17 FS8016 is an elastic webbing with adjustable barrel lock for tool attachment. It holds and guards tools and prevents worker injury or damage for dropped tools with a maximum work capacity of 2.3 kg. Attention! Do not use for fall arrest.\par
 }



TECHNICAL INFORMATION

LIFESPAN	N/A
MAXIMUM LOAD	N/A
INSPECTION	N/A
TRACEABILITY	N/A
STANDARDS	N/A
INTRASTAT	76169990

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	Elastic (lime) Ø 3mm, Tubular PES webbing
CAPACITY	2.3 kg
DIMENSIONS	0.8 - 1.65 m
WEIGHT PER SIZE EAN/UPC PER SIZE	FS8016 - 0,30kg - 5605423550108



FS8016

STANDARD - TOOLS LANYARD

{\rtf1\ansi\ansicpg1252\deff0\nouicompat\deflang1033{\fonttbl{\f0\fswiss\prq2\char Verdana;}}
 {*\generator Riched20 10.0.20348}\viewkind4\uc1
 \pard\f0\fs17\par
 }



TECHNICAL INFORMATION

LIFESPAN	N/A
MAXIMUM LOAD	N/A
INSPECTION	N/A
TRACEABILITY	N/A
STANDARDS	N/A
INTRASTAT	76169990

PRODUCT PHOTOS



SPECIFICATIONS

WEIGHT PER SIZE EAN/UPC PER SIZE

FS8016 - 0,30kg - 5605423550108



FS8016

STANDARD - TOOLS LANYARD

{\rtf1\ansi\ansicpg1252\deff0\nouicompat\deflang1033{\fonttbl{\f0\fswiss\prq2\fchar Verdana;}}
 {*\generator Riched20 10.0.20348}\viewkind4\uc1
 \pard\fs17\par
 }



INFORMATIONS TECHNIQUES

DURÉE DE VIE	N/A
CHARGE MAXIMALE	N/A
INSPECTION	N/A
TRAÇABILITÉ	N/A
NORMES	N/A
INTRASTAT	76169990

PHOTOS PRODUIT



SPÉCIFICATIONS

WEIGHT PER SIZE EAN/UPC PER SIZE

FS8016 - 0,30kg - 5605423550108



FS8016

STANDARD - TOOLS LANYARD

{\rtf1\ansi\ansicpg1252\deff0\nouicompat\deflang1033{\fonttbl{\f0\fswiss\prq2\char
 Verdana;}}
 {*\generator Riched20 10.0.20348}\viewkind4\uc1
 \pard\fs17 FS8016 'e9 uma cinta el'e1stica com trava de barril ajust'e1vel para
 fixa'e7'e3o de ferramentas. Ele segura e protege as ferramentas e evita ferimento
 ou danos ao trabalhador por queda de ferramentas com capacidade m'e1xima de
 trabalho de 2,3 kg. Aten'e7'e3o! N'e3o use para antiqueda.\par
 }



Informação Técnica	
TEMPO DE VIDA ÚTIL	N/A
CARGA MÁXIMA	N/A
INSPEÇÃO	N/A
RASTREABILIDADE	N/A
NORMAS	N/A
INTRASTAT	76169990

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	Elástico (lima) Ø 3mm, Fita tubular PES
CAPACIDADE	2.3 kg
DIMENSÕES	0.8 - 1.65 m
WEIGHT PER SIZE EAN/UPC PER SIZE	FS8016 - 0,30kg - 5605423550108