



PROFESSIONAL

FS2052

SERRIO SEAT - EUROPEAN VERSION

- Provides more comfort when suspended from the harness
- Use with our Fall arrest or Work positioning harnesses with ventral attachment
- Manufactured with zipper that allows removing the rigid component for easier cleaning/replacement
- 3 bars steel buckle for easy and smooth adjustment of length
- Wide sitting area ensures good stability and allows comfortable hanging
- Suspension straps do not press on thighs
- 3 loops for gear or material suspension



TECHNICAL INFORMATION

| | |
|--------------|------------------------|
| LIFESPAN | 10 |
| MAXIMUM LOAD | N/A |
| INSPECTION | Yearly |
| TRACEABILITY | S/N RFID QR Code |
| STANDARDS | N/A |
| INTRASTAT | 94017900 |

PRODUCT PHOTOS



SPECIFICATIONS

| | |
|--------------------------------|---------------------------------|
| METAL PARTS | ALU, STEEL |
| WEBBING TYPE | PES HP WATER REPELLENT |
| ANCHOR POINTS (A) | 2 |
| PADDING MATERIAL | EVA |
| SEAT CONNECTION POINT | 2 |
| TOOL HOLDERS | 3 |
| TOOL HOLDERS MAX LOAD | 10KG |
| ADJUSTMENT POINTS | 2 |
| BUCKLES | 2 |
| MAX RATED LOAD | 150KG |
| MAX USERS NO. | 1 |
| WEIGHT PER SIZE EAN PER SIZE | FS2052 - 1,63kg - 5605423570458 |



PROFESSIONAL

FS2052

SERRIO SEAT - EUROPEAN VERSION

- Oferece mais conforto quando suspenso no arnês
- Use com nossos arneses de travamento de queda ou de posicionamento de trabalho com fixação ventral
- Fabricado com zíper que permite retirar o componente rígido para facilitar a limpeza/troca
- Fivela de aço de 3 barras para um ajuste fácil e suave do comprimento
- A ampla área de assento garante boa estabilidade e permite pendurar confortavelmente
- As tiras de suspensão não pressionam as coxas
- 3 loops para engrenagem ou suspensão de material



Informação Técnica

| | |
|--------------------|------------------------|
| TEMPO DE VIDA ÚTIL | 10 |
| CARGA MÁXIMA | N/A |
| INSPEÇÃO | Yearly |
| RASTREABILIDADE | S/N RFID QR Code |
| NORMAS | N/A |
| INTRASTAT | 94017900 |

Imagens do Produto



ESPECIFICAÇÕES

| | |
|--|---------------------------------|
| COMPONENTES METÁLICOS | ALU, FERRO |
| TIPO DE FITA | PES HP WATER REPELLENT |
| PONTOS DE ANCORAGEM (A) | 2 |
| MATERIAL DO PADDING | EVA |
| PONTO LIGAÇÃO DE CADEIRA | 2 |
| SUORTE DE FERRAMENTAS | 3 |
| CAPACIDADE MÁX. DO SUORTE DE FERRAMENTAS | 10KG |
| PONTOS DE AJUSTE | 2 |
| FIVELAS | 2 |
| CARGA MÁXIMA | 150KG |
| Nº MÁX UTILIZADORES | 1 |
| PESO POR TAMANHO EAN POR TAMANHO | FS2052 - 1,63kg - 5605423570458 |