



PROFESSIONAL

FS33569

OVAL SHAPE CARABINER | ALUMINIUM ALLOY - TWIST LOCK - 24KN/ 8KN | OPENING 21MM

21mm connector made of high quality aluminium with auto twist lock. It has a breaking strength of 24/8kN.

TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	Anodized aluminium
MAX OPENING	21 mm
TYPE	Oval shape Carabiner
CLASS	B
LOCK TYPE	Auto Twist-lock
MAX STRENGTH	24kN
DIMENSIONS	111x59 mm
WEIGHT PER SIZE EAN PER SIZE	FS33569 - 0,10kg - 5605423812084



PROFESSIONAL

FS33569

OVAL SHAPE CARABINER | ALUMINIUM ALLOY - TWIST LOCK - 24KN/ 8KN | OPENING 21MM

Conector de 21 mm feito de alumínio de alta qualidade com fecho de torção automático. Tem uma resistência à rutura de 24/8kN.

Informação Técnica

TEMPO DE VIDA ÚTIL	INDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	Anodized aluminium
ABERTURA MAX	19 mm
TIPO	Oval shape Carabiner
CLASSE	B
TIPO DE FECHO	Auto Twist-lock
FORÇA MÁX	24kN
DIMENSÕES	111x59 mm
PESO POR TAMANHO EAN POR TAMANHO	FS33569 - 0,10kg - 5605423812084