



**PROFESSIONAL**

**FS33575**

**D SHAPE CARABINER | ALUMINIUM ALLOY - TRIPLE LOCK - 25KN/ 7KN | OPENING 20MM**

A carabiner D shape is a type of carabiner, which is a metal loop with a spring-loaded gate used to quickly and reversibly connect components in safety-critical systems. The d shape is the most common type of carabiner and is used for a variety of applications, including climbing, mountaineering, caving, and industrial safety. It is designed to be strong and secure, and is often used to attach a rope or harness to a fixed anchor point.

The asymmetrical aluminum carabiner is recommended for workers at heights looking to reduce weight to a minimum. D shape makes it especially suitable for attaching devices;

Automatic locking with triple-action gate opening;

Can be used with a rubber captive lock positioning loading the carabiner on the long axis, to keep it integrated into the device and limit the risk of tipping;

**TECHNICAL INFORMATION**

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76169990

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Anodized aluminium
MAX OPENING	20 mm
TYPE	D-shape Carabiner
CLASS	B
LOCK TYPE	Triple-Lock
MAX STRENGTH	25kN
DIMENSIONS	111x61 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33575 - 0.10kg - 5605423806472



**PROFESSIONAL**

**FS33575**

**D SHAPE CARABINER | ALUMINIUM ALLOY - TRIPLE LOCK - 25KN/ 7KN | OPENING 20MM**

O mosquetão assimétrico de alumínio é recomendado para trabalhadores em altura que procuram reduzir o peso ao mínimo. O formato em D o torna especialmente adequado para prender dispositivos;  
 Pode ser usado com um bloqueio cativo de borracha posicionando o carregamento do mosquetão no eixo longo, para mantê-lo integrado ao dispositivo e limitar o risco de tombar;

**Informação Técnica**

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76169990

**Imagens do Produto**



**ESPECIFICAÇÕES**

MATERIAL	Anodized aluminium
ABERTURA MAX	20 mm
TIPO	D-shape Carabiner
CLASSE	B
TIPO DE FECHO	Triple-Lock
FORÇA MÁX	25kN
DIMENSÕES	111x61 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33575 - 0.10kg - 5605423806472