



BASIC

FS33582

D SHAPE CARABINER | STEEL ALLOY - SCREW LOCK - 30KN/ 9KN | OPENING 19MM

19mm connector made of high quality stainless steel with screw lock. It has a breaking strength of 30/9kN.



TECHNICAL INFORMATION	
LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	Steel alloy
MAX OPENING	19 mm
TYPE	D-shape Carabiner
CLASS	B
LOCK TYPE	Manual Screw-Lock
MAX STRENGTH	30kN
DIMENSIONS	107x58 mm
WEIGHT PER SIZE EAN PER SIZE	FS33582 - 0,17kg - 5605423806526



BASIC

FS33582

D SHAPE CARABINER | STEEL ALLOY - SCREW LOCK - 30KN/ 9KN | OPENING 19MM

Conector de 19 mm em aço inoxidável de alta qualidade com fecho de rosca. Tem uma resistência à rutura de 30/9kN.



Informação Técnica

TEMPO DE VIDA ÚTIL	INDEFINIED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76161000

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	Steel alloy
ABERTURA MAX	19 mm
TIPO	D-shape Carabiner
CLASSE	B
TIPO DE FECHO	Manual Screw-Lock
FORÇA MÁX	30kN
DIMENSÕES	107x58 mm
PESO POR TAMANHO EAN POR TAMANHO	FS33582 - 0,17kg - 5605423806526