



**PROFESSIONAL**

**FS33403**

**DUETTO - PULLEY**

- Twin pulley with fixed side plates that allows easy maneuvering on ropes or cables
- Made of anodized light alloy
- Stainless steel sheaves mounted with 4 ball bearings
- For use with ropes  $\varnothing = 13 \text{ mm}$
- Designed for Tyrolean traverses on ropes
- Up to three connectors can be hooked in the lower eyelet



**TECHNICAL INFORMATION**

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - 36 kN
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN12278:2007
INTRASTAT	84799070

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Aluminum alloy, stainless steel
ROPE TYPE	For ropes = Ø 13 mm
MAX STRENGTH	36 kN
DIMENSIONS	100 x 80 x 33 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33403 - 0,31kg - 5605423640199



**PROFESSIONAL**

**FS33403**

**DUETTO - PULLEY**

- Roldana dupla com placas laterais fixas que permitem fácil manobra em cordas ou cabos
- Fabricado em liga leve anodizada
- Polias de aço inoxidável montadas com 4 rolamentos de esferas
- Para uso com cordas Ø = 13 mm
- Projetado para travessias tirolesas em cordas
- Até três conectores podem ser enganchados no ilhó inferior



**Informação Técnica**

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - 36 kN
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN12278:2007
INTRASTAT	84799070

**Imagens do Produto**



**ESPECIFICAÇÕES**

MATERIAL	Liga de alumínio, aço inoxidável
TIPO DE CORDA	Para cordas = Ø 13 mm
FORÇA MÁX	36 kN
DIMENSÕES	100 x 80 x 33 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33403 - 0,31kg - 5605423640199