



**FSR11**

**ICY STATIC ROPE - Ø 9MM**

The FALL SAFE® STATIC ROPES are developed with the highest quality, with a stringent quality control. The high proportion of sheath to cover ratio improves protection. Made with low stretch kernmantle, our ropes have high strength, extra resistance to abrasion, excellent UV protection as well as excellent handling and knot holding characteristics.



**TECHNICAL INFORMATION**

LIFESPAN	10
MAXIMUM LOAD	CE - N/A
INSPECTION	N/A
TRACEABILITY	S/N
STANDARDS	CE - EN1891:1998-B
INTRASTAT	56074919

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	CORE - PA / COVER - PES
MAX STRENGTH	26,7 kN
DIMENSIONS	Ø9 mm
WEIGHT PER SIZE   EAN PER SIZE	FSR11 - 0,10kg - 5605423752359



## FSR11

### ICY STATIC ROPE - Ø 9MM

As cordas estáticas FALL SAFE® são desenvolvidas com a mais alta qualidade, com um rigoroso controlo de qualidade. A alta proporção de bainha melhora a proteção. Fabricadas com kernmatle elástica, as nossas cordas possuem alta resistência, resistência extra à abrasão, excelente proteção UV, além de excelentes características de manuseio e retenção de nós.



### Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	N/A
RASTREABILIDADE	S/N
NORMAS	CE - EN1891:1998-B
INTRASTAT	56074919

### Imagens do Produto



**ESPECIFICAÇÕES**

MATERIAL	CORE - PA / COVER - PES
FORÇA MÁX	26,7 kN
DIMENSÕES	Ø9 mm
PESO POR TAMANHO   EAN POR TAMANHO	FSR11 - 0,10kg - 5605423752359