

FS841

STEEL ROPE GRAB

• Steel alloy rope grab
• For use with EN1891-A ropes - 14mm
• Easy to use and simple to put on the rope even if the anchor line is already in place
• Compatible with FS650

TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	N/A S/N QR Code
STANDARDS	CE - EN353-2:2002 CE - EN365:2005
INTRASTAT	84799070

PRODUCT PHOTOS



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

SPECIFICATIONS

MATERIAL	Steel alloy
ROPE TYPE	Use with EN1891-A ropes - ?14mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS841 - 0,57kg - 5605423753424

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM



FS841

STEEL ROPE GRAB

• Bloqueador de corda de liga de aço
• Para uso com cordas EN1891-A - 14mm
• Fácil de usar e simples de colocar na corda, mesmo que a linha de ancoragem já esteja no lugar
• Compatível com FS650

Informação Técnica

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	N/A S/N QR Code
NORMAS	CE - EN353-2:2002 CE - EN365:2005
INTRASTAT	84799070

Imagens do Produto



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

ESPECIFICAÇÕES

MATERIAL	Steel alloy
TIPO DE CORDA	Use with EN1891-A ropes - ?14mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS841 - 0,57kg - 5605423753424

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM