



**PROFESSIONAL**

**FS905**

**SAVEMAN ADVANCE - RESCUE EQUIPMENT**

FS905 Saveman Advance is a small and compact self-rescue or remote rescue descender equipment with anti-panic function. Designed for 1 person and for one time use only, this device has a maximum user weight capacity of 125kg. Easy to use, the product comes with a Technora® Ø5mm rope, 2 attached aluminium karabiners, a polyester webbing (25 mm) anchor sling, a vacuum compact bag and an abrasion resistant cover bag. It is extremely easy to carry and install on your harness. It is extremely easy to transport and install in the harness. For greater safety, the system limits impact forces of up to 6kN and also includes an anti-panic function. The Technora® rope is the strongest aramid fibre existing and has a very high heat resistance of 500° C. Therefore can be used in environment where heat and fire may appear. With the vacuum bag seal, not only moisture contamination is prevented in the rope, but also saves space and avoids damaging by contact and friction with other components. When the vacuum pack remains intact the lifespan is 10 years.



**TECHNICAL INFORMATION**

LIFESPAN	10
MAXIMUM LOAD	CE - 04/12/2018
INSPECTION	N/A
TRACEABILITY	N/A
STANDARDS	CE - EN341:2011-2D
INTRASTAT	63072090

**PRODUCT PHOTOS**



**SPECIFICATIONS**

METAL PARTS	Aluminium
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	Silicone
ROPE TYPE	Technora® rope 5 mm heat and chemical resistance
DEVICE	Manual aluminium descender w/ anti-panic function
MAX USERS NO.	1

COMPONENTS 2 x aluminium karabiner; 1 x PES anchor sling; 1 x rescue knife; 1 x PES storage bag

WEIGHT PER SIZE | EAN PER SIZE

FS905-15M - 3000.00kg - 5605423430226
FS905-150M - 4200.00kg - 5605423813760
FS905-125M - 3800.00kg - 5605423813753
FS905-80M - 2100.00kg - 5605423430233
FS905-60M - 1690.00kg - 5605423431698
FS905-50M - 1575.00kg - 5605423430622
FS905-30M - 1430.00kg - 5605423430295
FS905-25M - 1380.00kg - 5605423430615
FS905-20M - 1290.00kg - 5605423430288
FS905-200M - 4600.00kg - 5605423813050
FS905-100M - 2.94kg - 5605423430660

**PROFESSIONAL**
**FS905**
**SAVEMAN ADVANCE - RESCUE EQUIPMENT**


FS905 Saveman Advance é um pequeno e compacto equipamento de auto-resgate ou descensor de resgate remoto com função anti-pânico. Projetado para 1 pessoa e para uso único, este dispositivo tem uma capacidade máxima de peso do utilizador de 125 kg. Fácil de usar, o produto vem com uma corda Technora® Ø5mm, 2 mosquetões de alumínio acoplados, uma cinta de ancoragem de poliéster (25 mm), um saco a vácuo e um saco de cobertura resistente à abrasão. É extremamente fácil de transportar e instalar no arnês. Para maior segurança o sistema limita forças de impacto até 6kN, incluindo também uma função anti-pânico.

A corda Technora® é a fibra de aramida mais forte existente e tem uma resistência muito alta ao calor de 500° C. Portanto, pode ser usada em ambientes onde calor e fogo podem aparecer. Com a vedação do saco a vácuo, não apenas a contaminação por umidade é evitada na corda, mas também economiza espaço e evita danos por contato e fricção com outros componentes. Quando a embalagem a vácuo permanece intacta, a vida útil é de 10 anos.


**Informação Técnica**

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 04/12/2018
INSPEÇÃO	N/A
RASTREABILIDADE	N/A
NORMAS	CE - EN341:2011-2D
INTRASTAT	63072090

**Imagens do Produto**


**ESPECIFICAÇÕES**

COMPONENTES METÁLICOS	Alumínio
COMPONENTES TÊXTEIS	Poliéster
OUTROS MATERIAIS	Silicone
TIPO DE CORDA	Corda Technora® 5 mm - resistência calor e abrasão
DISPOSITIVO	Descensor de alumínio c/ função anti-pânico
Nº MÁX UTILIZADORES	1
COMPONENTES	2 x carabiners de alumínio; 1 x PES sling de ancoragem; 1 x faca de resgate; 1 x PES saco

**PESO POR TAMANHO | EAN POR TAMANHO**

FS905-15M	- 3000.00kg	- 5605423430226
FS905-150M	- 4200.00kg	- 5605423813760
FS905-125M	- 3800.00kg	- 5605423813753
FS905-80M	- 2100.00kg	- 5605423430233
FS905-60M	- 1690.00kg	- 5605423431698
FS905-50M	- 1575.00kg	- 5605423430622
FS905-30M	- 1430.00kg	- 5605423430295
FS905-25M	- 1380.00kg	- 5605423430615
FS905-20M	- 1290.00kg	- 5605423430288
FS905-200M	- 4600.00kg	- 5605423813050
FS905-100M	- 2.94kg	- 5605423430660