

FS2095I

ACCS CROC BELT SLIDER



FS2095I - ACCS CROC BELT SLIDER is an innovative accessory specifically designed for the latest FALL SAFE – WIDE CROC 4.0 harness. Made from high-strength PA6 material, the CROC 4.0 Slider is primarily intended to protect the safety belt and its components from wear and abrasion, ensuring greater durability and performance.

Additionally, the CROC 4.0 Slider enhances the user's mobility, allowing for smooth movement in confined or restricted spaces, such as those encountered when accessing wind turbines. Its unique design enables fluid and secure movement, even in tight environments, optimizing the user's performance and safety in challenging situations.



TECHNICAL INFORMATION

LIFESPAN	Undefined
MAXIMUM LOAD	N/A
INSPECTION	N/A
TRACEABILITY	N/A
STANDARDS	N/A
INTRASTAT	84289090

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	POLYAMIDE (PA)
DIMENSIONS	8.27 x 3.94 x 0.79 inches
WEIGHT PER SIZE EAN/UPC PER SIZE	FS2095I - 0.10kg - 5605423814019 / 626053660345

FS2095I

ACCS CROC BELT SLIDER



FS2095I - ACCS CROC BELT SLIDER é um acessório inovador, desenvolvido especificamente para o encosto mais recente da FALL SAFE – WIDE CROC 4.0. Fabricado em PA6 de alta resistência, o CROC 4.0 Slider tem como principal função proteger o cinto de segurança e seus componentes contra desgaste e abrasão, garantindo maior durabilidade e eficiência no uso.

Além disso, o CROC 4.0 Slider oferece maior mobilidade ao usuário, permitindo deslizar facilmente em espaços confinados ou restritos, como os encontrados durante o acesso a turbinas eólicas. Esse design exclusivo proporciona uma movimentação mais fluida e segura, mesmo em ambientes com espaço limitado, otimizando o desempenho e a segurança do profissional em situações desafiadoras.



Informação Técnica

TEMPO DE VIDA ÚTIL	Undefined
CARGA MÁXIMA	N/A
INSPEÇÃO	N/A
RASTREABILIDADE	N/A
NORMAS	N/A
INTRASTAT	84289090

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	POLIAMIDA (PA)
DIMENSÕES	210 x 100 x 20 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS2095I - 0.10kg - 5605423814019 / 626053660345