



**PROFESSIONAL**

**FS236**

**VERT - RESCUE HARNESS**

FS236 VERT rescue harness is specially designed for rescue and confined spaces. This harness, in addition to having a D-ring on the front and back (EN361), has also 2 D-rings on the shoulders for rescue (EN1497). It is manufactured in two colors, for easier wear. As it has 5 adjustment points, it is extremely easy to adapt to the user.



**TECHNICAL INFORMATION**

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN361:2002 CE - EN1497:2007
INTRASTAT	63079098

**PRODUCT PHOTOS**



**SPECIFICATIONS**

METAL PARTS	Aluminium, Steel
TEXTILE PARTS	Polyester
MATERIAL	PA, Silicone
WEBBING TYPE	PES webbing 45 mm water repellent
D-RINGS	1 D-ring on back, 2 D-rings on shoulders (EN1497), 1 D-ring on chest
ANCHOR POINTS (A)	3
SHOULDER PADDING	No
LEG PADDING	No
SEAT CONNECTION POINT	No
TOOL HOLDERS	No
ADJUSTMENT POINTS	5
BUCKLES	3 ALU IZY quick connect buckle; 2 ST bar buckles
FALL ARREST INDICATORS	Yes
LANYARD KEEPERS	No
WEIGHT PER SIZE   EAN PER SIZE	FS236-S/M - 1,50kg - 5605423820140 FS236-L/XL - 1,80kg - 5605423820133 FS236-XXL - 2,10kg - 5605423820164



**PROFESSIONAL**

**FS236**

**VERT - RESCUE HARNESS**

O arnês de resgate FS236 VERT foi especialmente desenvolvido para resgate e espaços confinados. Este arnês, além de de possuir um D-ring na frente e parte de trás (EN361), possui ainda 2 D-rings nos ombros para resgate (EN1497). É fabricado em duas cores, para maior facilidade ao vestir. Por ter 5 pontos de ajuste, torna-se extremamente fácil de adaptar ao utilizador.



**Informação Técnica**

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN361:2002 CE - EN1497:2007
INTRASTAT	63079098

**Imagens do Produto**



**ESPECIFICAÇÕES**

COMPONENTES METÁLICOS	Alumínio, Aço
COMPONENTES TÊXTEIS	Poliéster
MATERIAL	PA, Silicone
TIPO DE FITA	Fita PES 45 mm repelente à água
D-RINGS	1 D-ring dorsal, 2 D-rings nos ombros (EN1497), 1 D-ring frontal
PONTOS DE ANCORAGEM (A)	3
PADDING OMBROS	Não
PADDING PERNA	Não
PONTO LIGAÇÃO DE CADEIRA	Não
SUORTE DE FERRAMENTAS	Não
PONTOS DE AJUSTE	5
FIVELAS	3 fivelas de fecho rápido ALU IZY; 2 fivelas de barra ST
INDICADORES DE QUEDA	Sim
SUORTE DE LONGES	Não
PESO POR TAMANHO   EAN POR TAMANHO	FS236-S/M - 1,50kg - 5605423820140 FS236-L/XL - 1,80kg - 5605423820133 FS236-XXL - 2,10kg - 5605423820164