



PROFESSIONAL

FS800-SP7

RESCUE STAIRWAY

FS800-SP7 RESCUE STAIRWAY is a six meters rescue ladder built with an integrated safety system, which allows another person to assist in the rescue and avoid a second fall, while the victim reaches a safe place. The safety system consists of seven meters of rope, a rope adjuster that prevents the rope from slipping and two connectors, one to connect to the victim's anchor point and the other to the structure's anchor point. Both the rescue ladder and the integrated safety system were built inside a backpack, separated by two different compartments, so they don't get tangled. This makes the device very compact and easy to carry, always ready to be used in an emergency. FS800-SP7 was design to be used by a person trained in working at height who has not lost consciousness and is able to move by himself, after a fall has occurred.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 120KG
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - PPE-R/11.115, VERSION 1
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

METAL PARTS	Aluminium
TEXTILE PARTS	Polyester
OTHER COMPONENTS MATERIAL	PA
WEBBING TYPE	PES webbing 27mm
ROPE TYPE	PA static rope 11mm
DEVICE	Aluminium rope grab
CONNECTORS	FS820 ALU screw lock 25kN + FS33562 ALU auto lock 25kN
SEAMS PROTECTOR	Yes
SHARP EDGE TESTED	No
DIMENSIONS	6 m
WEIGHT PER SIZE EAN PER SIZE	FS800-SP7 - 2,22kg - 5605423808605

PROFESSIONAL

FS800-SP7

RESCUE STAIRWAY



FS800-SP7 RESCUE STAIRWAY é uma escada de resgate de seis metros construída com sistema de segurança integrado, que permite que uma outra pessoa auxilie no resgate e evite uma segunda queda, enquanto a vítima alcança um local seguro. O sistema de segurança é composto por sete metros de corda, um regulador de corda que evita que a corda escorregue e dois conectores, um para conectar ao ponto de ancoragem da vítima e outro ao ponto de ancoragem da estrutura. Tanto a escada de resgate quanto o sistema de segurança integrado foram construídos dentro de uma mochila, separados por dois compartimentos distintos, para que não fiquem emaranhados. Isso torna o aparelho muito compacto e fácil de transportar, sempre pronto para ser usado em caso de emergência. O FS800-SP7 foi projetado para ser utilizado por uma pessoa treinada em trabalho em altura que não tenha perdido a consciência e seja capaz de se mover por conta própria, após a ocorrência de uma queda.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 120KG
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - PPE-R/11.115, VERSION 1
INTRASTAT	63079098

Imagens do Produto



ESPECIFICAÇÕES

COMPONENTES METÁLICOS	Alumínio
COMPONENTES TÊXTEIS	Poliéster
OUTROS MATERIAIS	PA
TIPO DE FITA	Fita PES de 27 mm
TIPO DE CORDA	Corda estática PA 11mm
DISPOSITIVO	Bloqueador de corda em alumínio
CONECTORES	FS820 ALU bloqueio de parafuso 25kN + FS33562 ALU bloqueio automático 25kN
PROTETOR DE COSTURAS	Sim
TESTADO ARESTAS CORTANTES	Não
DIMENSÕES	6 m
PESO POR TAMANHO EAN POR TAMANHO	FS800-SP7 - 2,22kg - 5605423808605