



**BASIC**

**FS33586**

**HMS CARABINER | STEEL ALLOY - TRIPLE LOCK - 35KN/ 7KN | OPENING 25MM**

25mm connector made of high quality stainless steel with auto triple lock. It has a breaking strength of 35/7kN.

**TECHNICAL INFORMATION**

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Steel alloy
MAX OPENING	25 mm
TYPE	Pear-shape   HMS Carabiner
CLASS	B
LOCK TYPE	Auto-Triple-Lock
MAX STRENGTH	35kN
DIMENSIONS	114x73 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33586 - 0,22kg - 5605423806564



**BASIC**

**FS33586**

**HMS CARABINER | STEEL ALLOY - TRIPLE LOCK - 35KN/ 7KN | OPENING 25MM**

Conector de 25 mm fabricado em aço inoxidável de alta qualidade com fecho triplo automático. Tem uma resistência à rutura de 35/7kN.

**Informação Técnica**

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

**Imagens do Produto**



**ESPECIFICAÇÕES**

MATERIAL	Steel alloy
ABERTURA MAX	25 mm
TIPO	Pear-shape   HMS Carabiner
CLASSE	B
TIPO DE FECHO	Auto-Triple-Lock
FORÇA MÁX	35kN
DIMENSÕES	114x73 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33586 - 0,22kg - 5605423806564