

FS33585

HMS CARABINER | STEEL ALLOY - TWIST LOCK - 35KN/ 7KN | OPENING 25MM

25mm connector made of high quality stainless steel with auto twist lock. It has a breaking strength of 35/7kN.

TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

PRODUCT PHOTOS



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

SPECIFICATIONS

MATERIAL	Steel alloy
MAX OPENING	25 mm
TYPE	Pear-shape | HMS Carabiner
CLASS	B
LOCK TYPE	Auto Twist-lock
MAX STRENGTH	35kN
DIMENSIONS	114x73 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33585 - 0,22kg - 5605423806557

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM



FS33585

HMS CARABINER | STEEL ALLOY - TWIST LOCK - 35KN/ 7KN | OPENING 25MM

Conector de 25 mm feito de aço inoxidável de alta qualidade com fecho de torção automático. Tem uma resistência à rutura de 35/7kN.

Informação Técnica

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	73269098

Imagens do Produto



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

ESPECIFICAÇÕES

MATERIAL	Steel alloy
ABERTURA MAX	25 mm
TIPO	Pear-shape | HMS Carabiner
CLASSE	B
TIPO DE FECHO	Auto Twist-lock
FORÇA MÁX	35kN
DIMENSÕES	114x73 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33585 - 0,22kg - 5605423806557

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM