



**PROFESSIONAL**

**FS33351**

**4-SLOT ANCHOR PLATE**

Connector made of high quality aluminium. It has a breaking strength of 36kN.



**TECHNICAL INFORMATION**

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - CNB/P/11.114 Revision 2
INTRASTAT	76169990

**PRODUCT PHOTOS**



**SPECIFICATIONS**

MATERIAL	Anodized aluminium
MAX STRENGTH	36kN
DIMENSIONS	103x8 mm
WEIGHT PER SIZE   EAN PER SIZE	FS33351 - 0,18kg - 5605423640250



**PROFESSIONAL**

**FS33351**

**4-SLOT ANCHOR PLATE**

Conector em alumínio de alta qualidade. Tem uma resistência à rutura de 36kN.



**Informação Técnica**

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - CNB/P/11.114 Revision 2
INTRASTAT	76169990

**Imagens do Produto**



**ESPECIFICAÇÕES**

MATERIAL	Alumínio anodizado
FORÇA MÁX	36kN
DIMENSÕES	103x8 mm
PESO POR TAMANHO   EAN POR TAMANHO	FS33351 - 0,18kg - 5605423640250