



PROFESSIONAL

FS630

PURE ANCHOR LINE

FS630 is an 11mm polyamide rope anchor line that can be combined with FS33320 Gabbro e FS33320-KIT20 e FS33320-KIT40 rope grabs, thus allowing great possibilities of use and operation.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 140kg
INSPECTION	Yearly
TRACEABILITY	S/N QR Code
STANDARDS	CE - EN353-2:2003 CE - EN365:2005
INTRASTAT	56090000

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	PA, PA6, PES, Aluminium
ROPE TYPE	PA (core) + PES (cover) static rope 11mm
CONNECTORS	FS820 ALU screw lock 25kN
MAX LENGTH	100 m
ENERGY ABSORBER	No
SEAMS PROTECTOR	Yes
SHARP EDGE TESTED	No

WEIGHT PER SIZE | EAN PER SIZE

- FS630-2M - 0,20kg - 5605423320442
- FS630-C-60M - 2,60kg - 5605423813678
- FS630-C-40M - 2,13kg - 5605423813661
- FS630-C-30M - 2,03kg - 5605423813654
- FS630-C-20M - 1,93kg - 5605423813647
- FS630-C-120M - 3,20kg - 5605423813630
- FS630-B-60M - 2,80kg - 5605423814637
- FS630-B-40M - 2,60kg - 5605423814149
- FS630-B-30M - 1,70kg - 5605423000979
- FS630-B-120M - 3,20kg -
- FS630-1.20-1355 - 1,65kg - 5605423804195
- FS630-1.9M-1355 - 1,85kg - 5605423804188
- FS630-100M - 6,50kg - 5605423320541
- FS630-10M - 1,83kg - 5605423320251
- FS630-10M-103 - 1,83kg - 5605423810585
- FS630-10M-1355 - 1,83kg - 5605423804171
- FS630-1355-1.9M - 1,83kg - 5605423804065
- FS630-15M - 1,88kg - 5605423320268
- FS630-15M-022 - 1,88kg -
- FS630-20M - 1,93kg - 5605423320275
- FS630-20M-022 - 1,93kg -
- FS630-25M - 1,98kg - 5605423320282
- FS630-2M-103 - 0,20kg - 5605423812749
- FS630-30M - 2,03kg - 5605423320299
- FS630-35M - 2,08kg - 5605423320374
- FS630-3M-1355 - 0,30kg - 5605423808780
- FS630-40M - 2,13kg - 5605423320336
- FS630-50M - 2,18kg - 5605423320381
- FS630-55-2M - 0,20kg -
- FS630-5M - 0,60kg - 5605423320244
- FS630-5M-1355 - 0,60kg - 5605423804164
- FS630-65M - 2,50kg - 5605423320411
- FS630-75M - 2,70kg - 5605423000641
- FS630-80M - 2,80kg - 5605423667585
- FS630-B-3M-1355 - 1,50kg - 5605423804782
- FS630-L-20M - 2,30kg - 5605423802399
- FS630-B-20M - 1,93kg -



PROFESSIONAL

FS630

PURE ANCHOR LINE

FS630 é uma linha de ancoragem de corda de poliamida de 11mm que pode ser combinada com o bloqueador de corda FS33320 Gabbro e FS33320-KIT20 e FS33320-KIT40, permitindo assim grandes possibilidades de uso e funcionamento.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 140kg
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N QR Code
NORMAS	CE - EN353-2:2003 CE - EN365:2005
INTRASTAT	56090000

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	PA, PA6, PES, Alumínio
TIPO DE CORDA	PA (interior) + PES (exterior) corda estática 11mm
CONECTORES	FS820 ALU fecho de parafuso 25kN
COMPRIMENTO MÁX	100 m
ABSORBEDOR DE ENERGIA	Não
PROTETOR DE COSTURAS	Sim
TESTADO ARESTAS CORTANTES	Não
CARGA MÁXIMA	140kg

- FS630-2M - 0,20kg - 5605423320442
- FS630-C-60M - 2,60kg - 5605423813678
- FS630-C-40M - 2,13kg - 5605423813661
- FS630-C-30M - 2,03kg - 5605423813654
- FS630-C-20M - 1,93kg - 5605423813647
- FS630-C-120M - 3,20kg - 5605423813630
- FS630-B-60M - 2,80kg - 5605423814637
- FS630-B-40M - 2,60kg - 5605423814149
- FS630-B-30M - 1,70kg - 5605423000979
- FS630-B-120M - 3,20kg -
- FS630-1.20-1355 - 1,65kg - 5605423804195
- FS630-1.9M-1355 - 1,85kg - 5605423804188
- FS630-100M - 6,50kg - 5605423320541
- FS630-10M - 1,83kg - 5605423320251
- FS630-10M-103 - 1,83kg - 5605423810585
- FS630-10M-1355 - 1,83kg - 5605423804171
- FS630-1355-1.9M - 1,83kg - 5605423804065
- FS630-15M - 1,88kg - 5605423320268
- FS630-15M-022 - 1,88kg -
- FS630-20M - 1,93kg - 5605423320275
- FS630-20M-022 - 1,93kg -
- FS630-25M - 1,98kg - 5605423320282
- FS630-2M-103 - 0,20kg - 5605423812749
- FS630-30M - 2,03kg - 5605423320299
- FS630-35M - 2,08kg - 5605423320374
- FS630-3M-1355 - 0,30kg - 5605423808780
- FS630-40M - 2,13kg - 5605423320336
- FS630-50M - 2,18kg - 5605423320381
- FS630-55-2M - 0,20kg -
- FS630-5M - 0,60kg - 5605423320244
- FS630-5M-1355 - 0,60kg - 5605423804164
- FS630-65M - 2,50kg - 5605423320411
- FS630-75M - 2,70kg - 5605423000641
- FS630-80M - 2,80kg - 5605423667585
- FS630-B-3M-1355 - 1,50kg - 5605423804782
- FS630-L-20M - 2,30kg - 5605423802399
- FS630-B-20M - 1,93kg -

PESO POR TAMANHO | EAN POR TAMANHO