



FS800

ANCHOR SLING

The FALL SAFE® FS800 SLING it's an anchor sling made from 25 mm webbing polyester. It is constructed with load bearing stitches giving this device a minimum breaking load strength of 22 kN.



TECHNICAL INFORMATION

LIFESPAN	10
MAXIMUM LOAD	CE - 22 kN
INSPECTION	Yearly
TRACEABILITY	S/N RFID QR Code
STANDARDS	CE - EN795:2012-B
INTRASTAT	63079098

PRODUCT PHOTOS



SPECIFICATIONS

MATERIAL	Polyester webbing
CLASS	B
MAX STRENGTH	22 kN
MAX RATED LOAD	120kg
MAX USERS NO.	1
DIMENSIONS	0.50 m to 6 m
WEIGHT PER SIZE EAN/UPC PER SIZE	FS800-0.50M - 0.06kg - 5605423820454
	FS800-6M - 0.74kg - 5605423420180
	FS800-4M - 0.68kg - 5605423420227
	FS800-3M - 0.51kg - 5605423420159
	FS800-2M-19 - 0.23kg - 5605423812596
	FS800-2M - 0.23kg - 5605423420036
	FS800-2.5M - 0.25kg - 5605423420135
	FS800-1M-19 - 0.11kg - 5605423812589
	FS800-1M - 0.11kg - 5605423420029
	FS800-1.5M - 0.15kg - 5605423820799
	FS800-1.2M - 0.12kg - 5605423420142
	FS800-0.8M - 0.08kg - 5605423420173
	FS800-0.60M - 0.07kg - 5605423420197
	FS800-38020 - 0.85kg -



FS800

ANCHOR SLING

O FALL SAFE® FS800 SLING é um estropo para ancoragem feito a partir de fita de poliéster de 25mm. É construído com costuras para suporte de cargas, dando a este dispositivo uma mínima carga de ruptura de 22 kN.



Informação Técnica

TEMPO DE VIDA ÚTIL	10
CARGA MÁXIMA	CE - 22 kN
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N RFID QR Code
NORMAS	CE - EN795:2012-B
INTRASTAT	63079098

Imagens do Produto



ESPECIFICAÇÕES

MATERIAL	Polyester webbing
CLASSE	B
FORÇA MÁX	22 kN
CARGA MÁXIMA	120kg
Nº MÁX UTILIZADORES	1
DIMENSÕES	0.50 m to 6 m

WEIGHT PER SIZE EAN/UPC PER SIZE

FS800-0.50M - 0.06kg - 5605423820454
FS800-6M - 0.74kg - 5605423420180
FS800-4M - 0.68kg - 5605423420227
FS800-3M - 0.51kg - 5605423420159
FS800-2M-19 - 0.23kg - 5605423812596
FS800-2M - 0.23kg - 5605423420036
FS800-2.5M - 0.25kg - 5605423420135
FS800-1M-19 - 0.11kg - 5605423812589
FS800-1M - 0.11kg - 5605423420029
FS800-1.5M - 0.15kg - 5605423820799
FS800-1.2M - 0.12kg - 5605423420142
FS800-0.8M - 0.08kg - 5605423420173
FS800-0.60M - 0.07kg - 5605423420197
FS800-38020 - 0.85kg -