

FS33575

D SHAPE CARABINER | ALUMINIUM ALLOY - TRIPLE LOCK - 25KN/ 7KN | OPENING 20MM

20mm connector made of high quality aluminium with auto triple lock. It has a breaking strength of 25/7kN.

TECHNICAL INFORMATION

LIFESPAN	UNDEFINED
MAXIMUM LOAD	CE - N/A
INSPECTION	Yearly
TRACEABILITY	S/N
STANDARDS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76169990

PRODUCT PHOTOS



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

SPECIFICATIONS

MATERIAL	Anodized aluminium
MAX OPENING	20 mm
TYPE	D-shape Carabiner
CLASS	B
LOCK TYPE	Triple-Lock
MAX STRENGTH	25kN
DIMENSIONS	111x61 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33575 - 0,10kg - 5605423817942

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM



FS33575

D SHAPE CARABINER | ALUMINIUM ALLOY - TRIPLE LOCK - 25KN/ 7KN | OPENING 20MM

Conector de 20 mm em alumínio de alta qualidade com fecho triplo automático. Tem uma resistência à rutura de 25/7kN.

Informação Técnica

TEMPO DE VIDA ÚTIL	UNDEFINED
CARGA MÁXIMA	CE - N/A
INSPEÇÃO	Yearly
RASTREABILIDADE	S/N
NORMAS	CE - EN362:2004-B CE - EN12275:2013-B
INTRASTAT	76169990

Imagens do Produto



FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM

ESPECIFICAÇÕES

MATERIAL	Anodized aluminium
ABERTURA MAX	20 mm
TIPO	D-shape Carabiner
CLASSE	B
TIPO DE FECHO	Triple-Lock
FORÇA MÁX	25kN
DIMENSÕES	111x61 mm
WEIGHT PER SIZE EAN/UPC PER SIZE	FS33575 - 0,10kg - 5605423817942

FALL SAFE ON LINE LDA
ZONA INDUSTRIAL DA VARZIELA, RUA B, LOTE 54, 4480-620 VILA DO CONDE
SUPPORT@FALLSAFE-ONLINE.COM | WWW.FALLSAFE-ONLINE.COM