

**PROFESSIONAL**

**FS33574**

**D SHAPE CARABINER | ALUMINIUM ALLOY - TWIST LOCK - 25KN/ 7KN | OPENING 20MM (T)**



A carabiner D shape is a type of carabiner, which is a metal loop with a spring-loaded gate used to quickly and reversibly connect components in safety-critical systems. The d shape is the most common type of carabiner and is used for a variety of applications, including climbing, mountaineering, caving, and industrial safety. It is designed to be strong and secure, and is often used to attach a rope or harness to a fixed anchor point.

The asymmetrical aluminum carabiner is recommended for workers at heights looking to reduce weight to a minimum.

D shape makes it especially suitable for attaching devices;  
 Can be used with a rubber captive lock positioning loading the carabiner on the long axis, to keep it integrated into the device and limit the risk of tipping;

**TECHNICAL INFORMATION**

|              |  |
|--------------|--|
| LIFESPAN     | UNDEFINED                                |
| MAXIMUM LOAD | CE - N/A                                 |
| INSPECTION   | Yearly                                   |
| TRACEABILITY | S/N                                      |
| STANDARDS    | CE - EN362:2004-B<br>CE - EN12275:2013-B |
| INTRASTAT    | 76169990                                 |

**PRODUCT PHOTOS**



**SPECIFICATIONS**

|                                |                                  |
|--------------------------------|----------------------------------|
| MATERIAL                       | Anodized aluminium               |
| MAX OPENING                    | 20 mm                            |
| TYPE                           | D-shape Carabiner                |
| CLASS                          | B                                |
| LOCK TYPE                      | Auto Twist-lock                  |
| MAX STRENGTH                   | 25kN                             |
| DIMENSIONS                     | 111x61 mm                        |
| WEIGHT PER SIZE   EAN PER SIZE | FS33574 - 0.10kg - 5605423801125 |



**PROFESSIONAL**

**FS33574**

**D SHAPE CARABINER | ALUMINIUM ALLOY - TWIST LOCK - 25KN/ 7KN | OPENING 20MM (T)**

O mosquetão assimétrico de alumínio é recomendado para trabalhadores em altura que procuram reduzir o peso ao mínimo. O formato em D o torna especialmente adequado para prender dispositivos;

Pode ser usado com um bloqueio cativo de borracha posicionando o carregamento do mosquetão no eixo longo, para mantê-lo integrado ao dispositivo e limitar o risco de tombar;

**Informação Técnica**

|                    |  |
|--------------------|--|
| TEMPO DE VIDA ÚTIL | UNDEFINED                                |
| CARGA MÁXIMA       | CE - N/A                                 |
| INSPEÇÃO           | Yearly                                   |
| RASTREABILIDADE    | S/N                                      |
| NORMAS             | CE - EN362:2004-B<br>CE - EN12275:2013-B |
| INTRASTAT          | 76169990                                 |

**Imagens do Produto**



**ESPECIFICAÇÕES**

|                                    |                                  |
|------------------------------------|----------------------------------|
| MATERIAL                           | Anodized aluminium               |
| ABERTURA MAX                       | 20 mm                            |
| TIPO                               | D-shape Carabiner                |
| CLASSE                             | B                                |
| TIPO DE FECHO                      | Auto Twist-lock                  |
| FORÇA MÁX                          | 25kN                             |
| DIMENSÕES                          | 111x61 mm                        |
| PESO POR TAMANHO   EAN POR TAMANHO | FS33574 - 0.10kg - 5605423801125 |